INDEX TO VOLUME LXIX*

The Index for Volume 69 consists of three parts: (1) Subject Index, (2) Fungous Taxa Index, and (3) Host Index.

SUBJECT INDEX

The Subject Index includes authors, titles, key words of titles and other subject matter, biographies, reviews, notices, etc.

Actinomycetes 81

Additional electron microscopy of phialoconidiogenesis in Metarrhizium anisopliae: microtubules in phialidic necks 1058

Additions to the hypogeous mycoflora of Colorado II. Sclerogaster xerophilum (Basidiomycetes, Hymenogastrales) 980

Aflatoxin 556

Aflatoxin production 1185

Ahearn, D. G. See Meyers and Ahearn

Ainsworth, G. C. Ainsworth's "History"-a correction 860

Introduction to the history of mycology; review 861

Al-Doory, Yousef (ed.). The epidemi-ology of human mycotic diseases; review 214

Alexander, Martin. Introduction to soil microbiology; review 1253

Algae

Blodgettiomyces 285 Cladophora 285 Oedogonium 586 Trebouxia 858

Alkaloids of Claviceps from Spartina 838 Allicin 798

Amatoxin-containing mushrooms: Amanita ocreata and A. phalloides in California 1095

Ammirati, Joseph F., Harry D. Thiers and Paul A. Horgen. Amatoxin-containing mushrooms: Amanita ocreata and A. phalloides in California 1095

Analysis of Aureobasidium pullulans developmental stages by means of scanning electron microscopy 783

Animals

Dendroctonus 615 Rhipicephalus 150 Trypanosoma 587 Uca 1062

Annotated bibliography of Macrophomina phaseolina 1905-1976; review 1254

Annotated index to fungi described by N. Patouillard; review 1248 Annual review of phytopathology,

volume 14: review 221

Anticandidal component 793

Antifungal activity of bacillomycin S 975 Antifungal compounds. Volume 1: discovery, development and uses; review 1257 Aquatic fungi 1

Aquatic fungi of Scandinavia: species of Brevilegnia 287

Aquatic hyphomycete 914 Arena, Jay M. See Hardin and Arena 442

Arniella, a new genus of the Sordariaceae with pitted ascospores 73

Arnold, Günter R. W. Internationale bibliographie der Hypomycetaceae (Mycophyta, Ascomycotina); review 1237 ns. Robin D. See Moore and

Atkins, Atkins 341

Ascospores, germ pores, ultrastructure, and thermophilism of Chaetomium

^{*} Volumes 1 through 58 have been indexed as to fungous taxa, hosts, and subject. These three indices have been combined in a single publication and issued as: Mycologia Index, Volumes 1 through 58 (1909–1966). xvi + 1108 pages Price: \$40.00. Available from: The New York Botanical Garden, Bronx, N. Y. 10458.

Autocatalytic factor 96

Bacillomycin S 975

Baker, Kenneth F., George A. Zentmyer, and Ellis B. Cowling (ed.). Annual review of phytopathology, volume 14; review 221

Baker, K. L., E. S. Beneke, G. R. Hooper and W. G. Fields. Host range and axenic culture of the mycoparasite Syncephalis sphaerica (Mucorales) 1008

Balanoid aecia 967

Balazuc, Jean. See Tavares and Balazuc 1069

Baniecki, J. F. See Kurian et al. 1203
Barone, Frank E. and Michael
R. Tansey. Isolation, purification, identification, synthesis, and kinetics of activity of the anticandidal component of Allium sativum, and a hypothesis for its mode of action 793

hypothesis for its mode of action 793 Barr, Margaret E. Magnaporthe, Telimenella, and Hyponectria (Physo-

sporellaceae) 952
Barrows, Jane B. and R. W. Roncadori.
Endomycorrhizal synthesis by Gigaspora margarita in poinsettia 1173
Parities wester 840

Basidiomycetes 840
Batra, Lekh R. [Review of] Brown
rot fungi of fruit: their biology and
control 1240

Becker, Robert P. See Johari and Becker 440

Behavior of the nucleolus during nuclear divisions in the asci of Pyronema domesticum 685

Behnke, Barbara K. See Tansey et al. 463

Behnke, Edward R. See Tansey et al. 463 Bell, Alois A. See Stipanovic and Bell

164
Rellemère André See Lapier et al 657

Bellemère, André. See Lanier et al. 657 Beneke, E. S. See Baker et al. 1008 Benzidine 413, 416

Bergen, Linda and Diane TeStrake Wagner-Merner. Comparative survey of fungi and potential pathogenic fungi from selected beaches in the Tampa Bay area 299

Berner, Kay E. and Eugene S. Chapman.
The cellulolytic activity of six

oomycetes 1232 Berry, D. R. See Smith and Berry 440 Berthier, Jacques. Monographie des Typhula Fr., Pistillaria Fr. et genres voisins; review 862

Bhagyanarayana, G. See Ramachar and Bhagyanarayana 1076

Bigelow, Howard E. A new Clitocybe from Texas 1047 Biogeography and ecology in the Canary Islands; review 1255

Biographies

Elliott, Mary Elizabeth 460 Graham, Shirl O. 437 Schweinitz, L. S. de 223 Westergaard, Mogens 871

Biological identification with computers; review 1256

Biology and control of the downy mildews of pearl millet, sorghum and finger millet; review1250 Biology, Drechslera 1083

Black yeasts and allied hyphomycetes; review 1242

Blum, Jean. Les lactaires; review 1237

Boletaceae 118

Bondoux, Pierre. See Lanier et al. 657 Bonner, John Tyler. Some aspects of chemotaxis using the cellular slime molds as an example 443

Booth, C. Fusarium, laboratory guide to the identification of the major species; review 1239

Bothast, R. J. See Hesseltine and Bothast 328

Both, Ernst E. See Singer and Both 59 Boudier, Emile. Icones mycologicae, ou iconographie des Champignons de France principalement discomycètes; review 1253

Brodie, Harold J. Twin fruit bodies in a slender-stemmed form of Cyathus stercoreus 199

Brooks, R. D. See Goos et al. 280 Brooks, Travis E., Harold W. Keller, and Maurice Chassain. Corticolous myxomycetes VI: a new species of Diderma 179

See Keller and Brooks 667
Brown rot fungi of fruit: their biology
and control; review 1240
Bryophytes, Sphagnum 34

Bursdall, Harold H., Jr. [Review of]
Corticiaceae of north Europe 865

See Uecker and Burdsall 626

and Glenn A. Snow. Taxonomy of Cronartium quercuum and C. fusiforme 503

Byrde, R. J. W. and H. J. Willets. The brown rot fungi of fruit: their biology and control; review 1240

Cairney, William J. [Review of] The epidemiology of human mycotic diseases 214

California, Amanita 1095

California boletes VI. Some unreported species from the Sierra Nevada of California 206

California mushrooms: a field guide to the boletes; review 212 Carbohydrate nutrition, Phyllosticta 349 Carbon dioxide fixation by yeast cells of Mucor rouxii 423

Carmichael, J. W. See Lechevalier et al. 81

Caste, P. G. and R. E. Hartman. Carbon dioxide fixation by yeast cells of Mucor rouxii 423

Catalogue of cultures of the all-union collection of non-pathogenic micro-

organisms; review 868
Cavaliere, A. R. Marine flora and fauna of the northeastern United States. Higher fungi: Ascomycetes, Deuteromycetes, and Basidiomy-cetes: review 1253

Cellular slime molds 443

Cellulase activity of Poronia oedipus 592 Cellulolytic activity of six oomycetes 1232

Cephaloascus albidus, a new heterothallic yeastlike fungus 547

Changes in cell size and nuclear number during elongation of Flammulina velutipes fruitbodies 899

Chapman, Eugene S. See Berner and Chapman 1232

Chassain, Maurice. See Brooks et al.

Chemistry, Pseudevernia 604 Chemotaxis 443

Cheng, Y. H. See Tu et al. 409

Chesapeake bay fungi 887, 1218 Chloridium and some other dematiaceous hyphomycetes growing on decaying

wood; review 867 Christensen, C. M. See Schmidt and Christensen 428

Chrzanowski, Thomas H. and G. T. Response of Uca pugilator to diets of two selected yeasts 1062

Clark, Jim. Plasmodial incompatibility reactions in the true slime mold Physarum cinereum 46

Clémençon, H. A warning against the use of benzidine 416

Coelomycetes VI. Nomenclature of generic names proposed for coelomycetes; review 1257

Cole, O. O. See Olutiola and Cole 524 Collins, O'Neil Ray and Hsi-Chang Tang. New mating types in Physarum polycephalum 421

Collins, R. P. and A. F. Halim. Essential oil composition of Ceratocystis virescens 1129

of Porphyra perforata thallus discs by Pythium marinum, a marine facultative parasite 246 Colorado, hypogeous mycoflora 980

Comments on hallucinogenic agaries and the hallucinations of those who study them 1196

Common, Ralph S. See O'Donnell et al. 618

Comparative survey of fungi and potential pathogenic fungi from selected beaches in the Tampa Bay area 299 Compléments à la "flore analytique";

review 1255

Concepts of species; review 868 Cooke, Wm. Bridge. Massachusetts Foray 1226

[Review of] Black yeasts and allied hyphomycetes 1242

[Review of] Zur Ökologie der Porlinge: untersuchungen über die sporulation einiger Porlinge und die an ihnen gefundenen Käferarten 217 Copper effect

Penicillium 750

Corner, E. J. H. A note on Gomphus 431

Correction 860

Corticiaceae of north Europe; review 864 Corticolous myxomycetes VI: a new species of Diderma 179

Corticolous myxomycetes VII: Contri-bution toward a monograph of Licea, five new species 667 Cowan, Richard S. See Staffeu and

Cowan 865

Cowley, G. T. See Chrzanowski and Cowley 1062

Cowling, Ellis B. See Baker et al. 221 Crane, J. L. See Schoknecht and Crane

See Shearer and Crane 1218 Richard E. See Pechak and Crang 783

Cronin, Eunice A. and Frederick J. Post. Report of a dematiaceous hyphomycete from the Great Salt Lake, Utah 846

Cryofracturing as a technique for the study of fungal structures in the scanning electron microscope 309

Culberson, Chicita F. See Culberson et al. 604

William Louis Culberson and Anita Johnson. Second supplement to "chemical and botanical guide to lichen products"; review 1241

Culberson, William Louis, Chicita F. Culberson, and Anita Johnson. Pseudevernia furfuracea-olivetorina relationships: chemistry and ecology

See Culberson et al. 1241 Cultivation, Arcyria 693 Cultural characters, Poria 761

Culture growth inhibition of Ceratocystis montia by induced water stress 615

Cunfer, Barry M. and Andrew Seckinger. Survival of Claviceps purpurea and C. paspali sclerotia 1142

and David Marshall. Germination requirements of Claviceps paspali sclerotia 1137

Cytology

Flammulina 899 Poria 769 Pyronema 685, 321

Dahlberg, Kurt R. and Robert G. Franke. Spore germination in the myxomycete Fuligo septica: evidence for the existence of a soluble autocatalytic factor 96

Davidson, R. W. See Kidd et al. 615 Day, Peter R. (ed.). The genetic basis of epidemics in agriculture; review 1254

Defence mechanisms of plants; review 1242

Degradation of wood by Aspergillus fumigatus isolated from self-heated wood chips 514

wood chips 514

Deighton, F. C. Studies on Cercospora and allied genera. VI. Pseudocercospora Speg., Pantospora Cif. and Cercoseptoria Petr; review 867

Denison, D. A. and R. D. Koehn.

Denison, D. A. and R. D. Koehn. Cellulase activity of Poronia oedipus 592

Description and laboratory cultivation of Arcyria elaterensis, a new species of myxomycetes 693 Dessurault, M. and Ouellette G. B.

Dessurault, M. and Ouellette G. B. [Review of] Mycologie et pathologie forestières. Tome II. Pathologie forestière 657

Developmental morphology of Caloplaca ulmorum, C. cerina, and Xanthoria elegans 740

Deverall, Brian J. Defence mechanisms

of plants; review 1242 Dhingra, O. D and J. B. Sinclair (eds.). Annotated bibliography of Macrophomina phaseolina 1905–1976; review 1254

Dickinson, C. H. and T. F. Peerce (eds). Microbiology of aerial plant surfaces; review 654

Dictyostelium discoideum: a developmental system; review 659 Dihydroxyphenylalanine 413

Diseases of grasses and forage legumes in Ireland; review 1256

Distinction between sex and compatibility in Ceratocystis ulmi, as shown by unisexual male cultures 1149 Distributional history of the biota of the southern appalachians: part IV. Algae and fungi: Biogeography, systematics, and ecology: review 868

Algae and fungi: Diogeography, systematics, and ecology; review 868 Dixon, D. M., H. Jean Shadomy and S. Shadomy. In vitro growth and sporulation of Blastomyces dermatitidis on woody plant material 1193

titidis on woody plant material 1193 Dodge, Carroll W. Lichen flora of the Antarctic Continent and adjacent

islands; review 655

Domnas, A. J., J. P. Srebro and B. F. Hicks. Sterol requirement for zoospore formation in the mosquitoparasitizing fungus Lagenidium giganteum 875

Dykstra, Michael J. The possible phylogenetic significance of mitochondrial configurations in the acrasid cellular slime molds with reference to members of the Eumycetozoa and fungi 579

Eboh, D. O. and A. O. Obike. A preliminary taxonomic study of Nigerian graminicolous Uredinales. Grass rusts from Nsukka—I 734

Ecology, Pseudevernia 604

Effect of safflower oil on mycelial growth of Boletaceae in submerged liquid cultures 118

Effect of pH on the tolerance of Penicillium nigricans to copper and other heavy metals 750

Effect of thiamine and other factors on parasitism of Cokeromyces recurvatus by the mycoparasite, Dimargaris verticillata 622

Electron microscopy 309 Electron opacity 1209

Elemental partitioning in Pinus resinosa leaf litter and associated fungi 1121

Eleuterius, L. N. and S. P. Meyers. Alkaloids of Claviceps from Spartina 838

Elliott, Mary Elizabeth; biography 460 Elliott, Mary E. See Kokko and Elliott 1206

Ellis, M. B. More dematiaceous hyphomycetes; review 439

Endomycorrhizal synthesis by Gigaspora margarita in poinsettia 1173

Endomycorrhizas; review 212

Enrichment, isolation, and assay of growth of thermophilic and thermotolerant fungi in lignin-containing media 463

Enzymes of Dictyuchus monosporus 263 Epidemiology of human mycotic diseases; review 214 Epp, Bernd, D. A rapid method for the isolation of tetrads in higher basidiomycetes 210

Erb, K. Effect of thiamine and other factors on parasitism of Cokeromyces recurvatus by the mycoparasite, Dimargaris verticillata 622

parasite, Dimargaris verticillata 622 Eriksson, John and Leif Ryvarden. Corticiaceae of north Europe; review 864

Errata 869

Erwin, D. C. See Ho et al. 641

Erysiphaceae 826

Essential oil composition of Ceratocystis virescens 1129

Estabrook, George F. (ed.). Proceedings of the eighth international conference on numerical taxonomy; review 221

Esterhuizen, B. and K. J. V. D. Merwe. The antifungal activity of bacillomycin S 975

Eumycetozoa 579

Extracellular proteolysis by Candida lipolytica 646

Farr, M. L. [Review of] Annotated index to fungi described by N. Patouillard 1248

Fields, W. G. See Baker et al. 1008 Filamentous fungi. Vol. II; review 440 First report of vesicular-arbuscular mycorrhizae on Elaeagnus angustifolia 1200

Flannigan, B. and G. S. Sagoo. Degradation of wood by Aspergillus fumigatus isolated from self-heated

wood chips 514
Fogel, Robert. Additions to the hypogeous mycoflora of Colorado II. Sclerogaster xerophilum (Basidiomycetes, Hymenogastrales) 980

 Note on the nomenclatural problem associated with the name Alpova luteus (Basidiomycetes, Melanogastraceae) 840

Food, Pleurotus 272

Foray, Massachusetts 1973 1226

Form and function of balanoid aecia of Gymnosporangium fuscum 967 Fossils

Palaeosclerotium 850

Fox, Norman C. and Frederick T. Wolf. Enzymes of Dictyuchus monosporus 263

Francis, David. [Review of] Dictyostelium a developmental system 659 Franke, Robert G. See Dahlberg and

Franke 96 Freeze-drying 1206

Freshwater fungi of Taiwan 1079

Fries, Nils. Germination of Laccaria laccata spores in vitro 848

Fructosylsucrose 756

Fruitbody formation, Flammulina 899 Fuller, Melvin S. See Kazama and Fuller 246

— The zoospore, hallmark of the aquatic fungi 1

Fungi: an introduction; review 1244
Fungi of the Chesapeake bay and its tributaries V. Aniptodera chesapeakensis gen. et sp. nov. 887

Fungi of the Chesapeake Bay and its tributaries VI. Trichocladium achrasporum, the imperfect state of Halosphaeria mediosetigera, a marine ascomycete 1218

Fungistatic effects 341

Fungicidal and fungistatic effects of an aqueous garlic extract on medically important yeast-like fungi 341 Fungorum libri bibliothecae Joachim

Schliemann; review 866
Funk, A. See Hunt and Funk 432
Fusarium, laboratory guide to the
identification of the major species;
review 1239

Gams, W. [Review of] Fusarium, laboratory guide to the identification of the major species 1239

 Review of Untersuchungen über die morphologische und biologische differenzierung in der Fusarium-sektion Liseola 1247

, and V. Holubová-Jechová.
 Chloridium and some other dematiaceous hyphomycetes growing on decaying wood; review 867

Garlic extract 341

Genera Agaricostilbum and Amerobotryum 1224

Genera of yeasts and yeast-like fungi; review 867

Genera Gymnascella, Arachniotus, and Pseudoarachniotus 126

Genetic analysis of a mutant of Aspergillus flavus producing more aflatoxin B₂ than B₁ 556

Genetic basis of epidemics in agriculture; review 1254

Genetics

Bipolaris 773 Ceratocystis 1149 Cochliobolus 173 Physarum 46, 421 Pleurotus 203 Polyporus 714 Poria 761 Pseudocochliobolus 1114 Schizophyllum 714 Sistotrema 714 Verticillium 164

Genetics of aflatoxin production in Aspergillus flavus: linkage between a gene for a high B3: B1 ratio and the histidine locus on linkage group VIII 1185

Genus Ophionectria (Euascomycetes, Hypocreales) 355

Germination of Laccaria laccata spores in vitro 848

Germination requirements of Claviceps paspali sclerotia 1137

Gessner, Robert V. Seasonal occurrence and distribution of fungi associated with Spartina alterniflora from a Rhode Island estuary 477

Ghosh, Bijan K. See Lechevalier et al. 81

Ghosh, G. R. See Orr et al. 126 Gilbertson, R. L. [Review of] Poly-poraceae of North Europe 1250 See Lindsey and Gilbertson

193, 761 Gillman, Linnea Stewart and Orson K.

Miller, Jr. A study of the boreal, alpine, and arctic species of Melanoleuca 927

Ginns, J. and D. Malloch. Halocyphina, a marine basidiomycete (Aphyllophorales) 53

Goos, R. D., R. D. Brooks and Bette J. Lamore. An undescribed hyphomycete from wood submerged in a Rhode Island stream 280

Graham, Shirl O.; biography 437 [Review of] Fila-Vol. II 440 Gray, William D. mentous fungi.

Grimes, Arthur Jack. A guide for providing scientific testimony; review 1254

Growth inhibition, Ceratocystis 615

Growth of thermophilic and thermotolerant fungi in soil in situ and in vitro 563

Growth, sporulation, and germination of spores of thermophilic fungi incubated in sun-heated soil 109

Gruen, Hans E. See Wong and Gruen

Grund, D. W. and D. E. Stuntz. Scotian Inocybes. IV. 392 Nova

and K. A. Harrison. Nova Scotian boletes; review 656

Guide for providing scientific testimony; review 1254

Hacskaylo, Edward. [Review Endomycorrhizas 212

Halim, A. F. See Collins and Halim 1129

Halling, Roy E. California boletes VI. Some unreported species from the Sierra Nevada of California 206

Hallucinogenic agarics 1196 Halocyphina, a marine basidiomycete

(Aphyllophorales) 53 Hammill, Terrence M. Additional elec-tron microscopy of phialoconidiogenesis in Metarrhizium anisopliae: microtubules in phialidic necks 1058 Light microscopic observations

of karyology during conidiogenesis in Scopulariopsis koningii 417 Handley, Dean A. See Lechevalier et al.

81

Hankin, Lester. See McIntyre and Hankin 756

Hanlin, Richard T. [Review of] A revision of fungi formerly classified as Nectria subgenus Hyphonectria 219

Hardin, James W. and Jay M. Arena. Human poisoning from native and cultivated plants; review 442

Harknessia araucariae from Brazil 829 Harrison, K. A. See Grund and Harrison 656

Hartman, R. E. See Caste and Hartmann 423

Heavy metal effect, Penicillium 750 Henssen, Aino and Hans Martin Jahns. Lichenes: eine Einführung in die Flechtenkunde: review 439

Herbicide effect, Drechslera 1083 Hermanides-Nijhof, E. J. See and Hermanides-Nijhof 1242

Hesseltine, C. W. and R. J. Bothast. Mold development in ears of corn from tasseling to harvest 328

Hicks, B. F. See Domnas et al. 875 Hiratsuka, Yasuyuki and John M. Powell. Pine stem rusts of Canada; Pine stem rusts of Canada; review 1254

Hoch, H. C. Use of permanganate to increase electron opacity of fungal walls 1209

Clinton F. Postemergent Hodges, herbicides and the biology of Drechslera sorokiniana: effects on conidial germination, vegetative growth, and reproduction 1083

Hodges, C. S., Jr. See Sutton and Hodges 829

Ho, H. H. and G. A. Zentmyer. Mor-phology of Phytophthora cinna-momi 701

and D. C. Erwin. Morphology of sex organs of Phytophthora cambivora 641

Holmes, Francis W. Distinction be-tween sex and compatibility in

Ceratocystis ulmi, as shown by unisexual male cultures 1149 Holubová-Jechová, V. See Gams and

Holubová-Jechová 867

Hoog, G. S. de and E. J. Hermanides-Nijhof. The black yeasts and allied hyphomycetes; review 1242 Hooper, G. R. See Baker et al. 1008

See O'Donnell and Hooper 309 —. See O'Donnell and Hooper 309 gen, Paul A. See Ammirati et al. 1095 Horgen,

Host range and axenic culture of the mycoparasite Syncephalis sphaerica (Mucorales) 1008

Huber, D. M. See Warren et al. 773 Human poisoning from native a cultivated plants; review 442

Hung, Ching-Yuan. The nucleolus in the ascocarp somatic cells in cells in Pyronema domesticum 321

, and Kenneth Wells. The behavior of the nucleolus during nuclear divisions in the asci of Pyronema domesticum 685

Hunt, R. S. and A. Funk. Mushrooms fatal to dogs 432

Hydrogen effect, Pleuropedium 919 Hyphomycetes 843, 846

Hypogeous mycoflora 980

Icones mycologicae, ou iconographie des Champignons de France principalement discomycètes; review 1253 Identity of a Phytophthora species from

black pepper in Thailand 631 Imshaug, Henry A. See O'Donne'l et al. 618

India

Physalospora 1191 Rust fungi, 1076

Influence of ultraviolet light and carbohydrate nutrition on pycnidium formation in Phyllosticta antirrhini 349

Internationale bibliographie der Hypomycetaceae (Mycophyta, Ascomycotina); review 1237

Interpretation of Palaeosclerotium 850 Introduction to soil microbiology; review 1253

Introduction to the history of mycology; review 861

vitro growth and sporulation of Blastomyces dermatitidis on woody plant material 1193

ation, purification, identification, synthesis, and kinetics of activity Isolation. of the anticandidal component of Allium sativum, and a hypothesis for its mode of action 793 Jack, Michele A. and Michael R. Tansey. Growth, sporulation, and germination of spores of thermophilic fungi incubated in sun-heated soil 109

Jahns, Hans Martin. See Henssen and Jahns 439

Jeng, R. S. and J. C. Krug. Arniella, a new genus of the Sordariaceae with pitted ascospores 73

A new species of and -Orbilia from Venezuela 832 Johari, Om (ed). Scanning electron

microscopy/1976/I; review 440
—, and Robert P. Becker (eds). Scanning electron microscopy/1976/ II; review 440

Johnson, Anita. See Culberson et al. 604, 1241

Johnson, T. W., Jr. Aquatic fungi of Scandinavia: species of Brevilegnia 287

Resting spore germination in three chytrids 34

Joly, Patrick. See Lanier et al. 657 Jones, Arthur, Jr. See Warren et al. 773 Jones, E. B. Gareth (ed). Recent advances in aquatic mycology; review 656 Jong, S. C. See Roxon and Jong 203

Kazama, Frederick Y. and Melvin S. Fuller. Colonization of Porphyra perforata thallus discs by Pythium marinum, a marine facultative parasite 246

Keller, Harold W. and Travis E. Brooks. Corticolous myxomycetes VII: Contribution toward a monograph of

Licea, five new species 667

—. See Brooks et al. 179

Kestose 756

Keen, N. T [Review of] Defence mechanisms of plants 1242 Kessler, Dietrich. See Raper et al. 1016 Keys

Arniella species 74 Hapalophragmium species 22 Hyponectria species 958 Licea species 681 Melanoleuca species 928

Ophionectria species 361 Kidd, Frank A., C. P. P. Reid, and R. W. Davidson. Culture growth inhibition of Ceratocystis montia by induced water stress 615

Kimbrough, James W. See Tu et al. 409 Koehn, R. D. See Denison and Koehn 592

Kokko, E. G. and Mary E. Elliott. Preservation of Moellerodiscus lentus (Sclerotiniaceae) by freeze-drying whole apothecia 1206

Korf, R. P. [Review of] More dematiaceous hyphomycetes 439

. [Review of] Mycology: an out-

Vol. I, A-G 866 Koske, R. E. Spiral growth of Phycomyces: some new observations in the northern and southern hemispheres 189

Kramer, Charles L. See Lyon and Kramer 1045

Kramer, C. L. [Review of] Microbiology of aerial plant surfaces 654
Krug, J. C. See Jeng and Krug 73, 832
Kudriavzev, V. (ed). Catalogue of

Kudriavzev, V. (ed). Catalogue of cultures of the all-union collection of nonpathogenic microorganisms; review 868

Kühner, R. and H. Romagnesi. Compléments à la "flore analytique" review 1255

Kunkel, G. (ed). Biogeography and ecology in the Canary Islands; review 1255

Kurian, P., D. A. Stelzig, J. F. Baniecki and M. Marshall. Toxin production by Cristulariella pyramidalis 1203

Kurtzman, C. P. Cephaloascus albidus, a new heterothallic yeastlike fungus 547

Laboulbeniales 1073

Lack of kestose (fructosylsucrose) production by race 3 of Phytophthora parasitica var. nicotianae differentiates it from races 0 and 1 756

Lanier, Louis, Patrick Joly, Pierre Bondoux and André Bellemère. Mycologie et pathologie forestières. Tome II. Pathologie forestière; review 657

Lamore, Bette J. See Goos et al. 280 Lapedes, Daniel N. et al. McGraw-Hill Dictionary of the life sciences; review 442

Lawrey, James D. Elemental partitioning in Pinus resinosa leaf litter and associated fungi 1121

 X-ray emission microanalysis of Cladonia cristatella from a coalmining area in Ohio 855

L. D. de Schweinitz and early American mycology 223

Leaf litter fungi 1121

Lechevalier, Hubert, Mary P. Lechevalier, Dean A. Handley, Bijan K. Ghosh, and J. W. Carmichael. Strains of fusidia which can be mistaken for Actinomycetes 81

Lechevalier, Mary P. See Lechevalier et al. 81

Lentz, P. L. See Millner et al. 720 Leonard, Thomas J. See Phillips and Leonard 413

Leppik, E. E. Form and function of balanoid aecia of Gymnosporangium fuscum 967

Les lactaires; review 1237

Lichen flora of the Antarctic Continent and adjacent islands; review 655 Lichenes: eine Einführung in die Flech-

tenkunde; review 439 Light effect, Bipolaris 776

Light microscopic observations of karyology during conidiogenesis in Scopulariopsis koningii 417

Lignin degradation 465

Lindsey, J. Page and R. L. Gilbertson. Some aspects of bipolar heterothallism and other cultural characters of Poria carnegiea 761

and Aphyllophorales, Steccherinum (Aphyllophorales, Steccherinaceae) on quaking aspen 193 Liu, C. H. and P. A. Volz. Freshwater

fungi of Taiwan 1079 Loeffler, Wolfgang. See Müller and

Loeffler 1246 Loomis, William F. Dictyostelium discoideum: a developmental system; review 659

Lundeen, C. V. See Padgett and Lundeen 835

Luttrell, E. S. [Review of] Lichenes: eine Einführung in die Flechtenkunde 439

Lyon, Frank L. and Charles L. Kramer. Preparing myxomycete spores for SEM 1045

Lyophilization 1206

McGinnis, Michael R. Ontogeny of Hyalopsora polypodii urediospores 509

McGraw-Hill dictionary of the life sciences; review 442

Machol, Robert E. and Rolf Singer. Taxonomic position of Hydropus floccipes and allied species—a quantitative approach 1162

McIntyre, John L. and Lester Hankin. Lack of kestose (fructosylsucrose) production by race 3 of Phytophthora parasitica var. nicotianae differentiates it from races 0 and 1 MacKenzie, D. R. See Nelson et al. 173 Magic mushroom cultivation; review 1256

Magnaporthe, Telimenella, and Hy-ponectria (Physosporellaceae) 952 Maiello, J. M. The influence of ultra-

violet light and carbohydrate nutri-tion on pycnidium formation in Phyllosticta antirrhini 349

Malloch, D. See Ginns and Malloch 53
Malone, Carl P. Developmental morphology of Caloplaca ulmorum, C. cerina, and Xanthoria elegans 740

Observations on Endocarpon pusillum: the role of rhizomorphs in asexual reproduction 1042

Marine ascomycete 1218

Marine flora and fauna of the north-eastern United States. Higher fungi: Ascomycetes, Deuteromycetes, and Basidiomycetes; review 1253

Marine fungi, Pythium 246

Marsh R. W. (ed). Systemic fungicides; review 1255

Marshall, David, See Cunfer and Marshall 1137

Marshall, M. See Kurian et al. 1203 Mary Elizabeth Elliott (1923-1976) 460 Massachusetts foray 1973 1226

Mazzer, S. J. Monographic study of the genus Pouzarella, a new genus in the Rhodophyllaceae, Agaricales, Basidiomycetes; review 215 Media, ST (isolation of Boletaceae) 119

Mehrotra, B. S. The fungi: an introduction; review 1244

Melanogastraceae 840

Memoirs of the New York Botanical Garden, vol. 28, number 1; review

Merwe, K. J. V. D. See Esterhuizen and Merwe 975

Methods

Culture chamber 835 Freeze-drying apothecia 1206 Hirst trap 1214

Spore trapping 1214 Meyers, S. P. and D. G. Ahearn. Extracellular proteolysis by Candida lipolytica 646

See Eleuterius and Meyers 838 Microbiology of aerial plant surfaces; review 654

er, Margann. See Shearer and Miller 887 Miller.

Miller, Orson K. Jr. See Gillman and Miller 927

Millner, P. D. Radial growth responses to temperature by 58 Chaetomium species, and some taxonomic relationships 492

, J. J. Motta, and P. L. Lentz. Ascospores, germ pores, ultrastructure, and thermophilism of Chaetomium 720

de Miranda, L. Rodrigues. See von Arx et al. 867

Misgomyces mastacis (Laboulbeniales)its structure and host relationship

Mitochondria, acrasids 579 Mogens Westergaard 1912-1975 871

Mold development in ears of corn from tasseling to harvest 328 Monographie des Typhula Fr., Pistil-

laria Fr. et genres voisins; review 862 Monographic study of the genus Pouzarella, a new genus in the Rhodo-phyllaceae, Agaricales, Basidiomy-cetes; review 215 Monoson, H. L. A synopsis of the genus

Hapalophragmium (Uredinales) 21

Moore, Gary S. and Robin D. Atkins. The fungicidal and fungistatic effects of an aqueous garlic extract on medically important yeast-like fungi

More dematiaceous hyphomycetes; review 439

Morphological and physiological differences between Bipolaris maydis races o and t 773 Morphology

Acrasids 579 Albugo 637 Aureobasidium 783 Caloplaca 740 Chaetomium 720 Hyalopsora 509 Leucoscypha 311 Misgomyces 1069 Peziza 311 Puccinia 311 Phycomyces 311 Pyronema 321 Scopulariopsis 417 Xanthoria 740

Morphology of Phytophthora cinnamomi

Morphology of sex organs of Phytophthora cambivora 641

Morrill, R. C. See Storck and Morrill

Mosquito-parasitizing fungus 875

Mosse, Barbara. See Sanders et al. 212 Motta, J. J. See Millner et al. 720

Moving particles of vacuoles of Erysiphaceae 826

Mulleavy, Perry. The description and laboratory cultivation of Arcyria elaterensis, a new species of myxomycetes 693

Müller, Emil and Wolfgang Loeffler. Mycology: an outline for science and medical students; review 1246

Murrmann, Don N. See Tansey et al. 463

Mushrooms fatal to dogs 432 Mycologia-financial report 1260

Mycological notes on some rust fungi reported from India 1076

Mycological Society of America forays 1973, 1226 presidential address 1

Mycologie et pathologie forestières. Tome II. Pathologie forestière; re-

cologists, group photograph 1973 foray 1230 Mycologists,

Mycologists, portraits Fuller, Melvin S., (1) frontisp. Mycology: an outline for science and medical students; review 1246

Mycoparasite 1008 Mycorrhizae 842 Poinsettia 1173 Myxomycetes 667

Myxomycete spores 1045

Narendra, D. V. and V. G. Rao. New species of Physalospora from India

Natarajan, K. See Subramanian and Natarajan 1224

——. South Indian Agaricales II 185 Natural distribution of incompatibility factors in basidiomycetous fungi 714 Nectria consors and its Volutella conidial state 255

Nelson, R. R., R. K. Webster, and D. R. MacKenzie. The occurrence of dual compatibility in Cochliobolus spicifer 173

Nematode fungi 914

New Clitocybe from Texas 1047

New mating types in Physarum poly-cephalum 421

New species of Gastroboletus and its phylogenetic significance 59 New species of Orbilia from Venezuela

832 New species of Physalospora from India 1191

New species of Thanatephorus from jute in Taiwan 409

New species of Torrubiella on a spider from the Falkland Islands 618

Steccherinum (Aphyllophorales, Steccherinaceae) on quaking aspen 193

Nicolson, T. H. See Schenck and Nicolson 1049

Nigeria Grass rusts 734

Pleurotus 271 Uredinales 734

Ninhydrin-positive substances 917

Nirenberg, Helgard. Untersuchungen über die morphologische und biologische differenzierung in der Fu-

sariumsektion Liseola; review 1247 Nishihara, Natsuki. See Tsuda et al. 1109

Nolan, Richard A. Physiological studies with the aquatic hyphomycete Pleuropedium tricladioides isolated from the freshwater nematode Neomesomermis flumenalis 914

Nomenclature, Alpova 840 Northcote, D. H. (ed.).

Plant biochemistry II; review 1256

Note on Gomphus 431

Note on the nomenclatural problem associated with the name Alpova luteus (Basidiomycetes, Melanogastraceae) 840

Notices 1258 Nova Scotian boletes; review 656 Nova Scotian Inocybes. IV. 392

Nuclei, nucleic acids and protein in sporangiospores of Mucor bacilli-formis and other Mucor species 1031 Nucleolus in the ascocarp somatic cells

in Pyronema domesticum 321

Numerical taxonomy 1162 Nuss, Ingo. Zur Ökologie der Porlinge: Untersuchungen über die sporula-tion einiger Porlinge und die an ihnen gefundenen Käferarten; re-view 217

Nystatin 975

Obike, A. O. See Eboh and Obike 734 Observations on Endocarpon pusillum: the role of rhizomorphs in asexual reproduction 1042

Observations on Guttulinopsis vulgaris and Guttulinopsis nivea 1016

Occurrence of dual compatibility in Cochliobolus spicifer 173

Occurrence of spores of thermophilic fungi in the air at Bombay 197

O'Donnell, K. L. [Review of] Scanning electron microscopy/1976/I 440

—. [Review of] Scanning electron microscopy/1976/II 440

and G. R. Hooper. Cryofracturing as a technique for the study of fungal structures in the scanning electron microscope 309

O'Donnell, Kerry L., Ralph S. Common, and Henry A. Imshaug. A new species of Torrubiella on a spider from the Falkland Islands 618

Oil composition, Ceratocystis 1129

Olutiola, P. O. and O. O. Cole. Some environmental and nutritional factors affecting growth and sporulation of Ceratocystis paradoxa 524

Ontogeny of Hyalopsora polypodii urediospores 509

Oomycetes 1232

O'Rourke, C. J. Diseases of grasses and forage legumes in Ireland; review 1256

Orr, G. F., G. R. Ghosh, and K. Roy. The genera Gymnascella, Arachniotus, and Pseudoarachniotus 126

Oso, B. A. Pleurotus tuber-regium from Nigeria 271

Ouellette, G. B. See Dessurault and Ouellette 657

Oxidation of dihydroxyphenylalanine and benzidine in crude cell-free fungal extracts 413

Padgett, David E. and C. V. Lundeen. A variable-medium culture chamber for fungi 835

Pankhurst, R. J. (ed.). Biological identification with computers; re-(ed.). Biological view 1256

Papa, K. E. a, K. E. Genetic analysis of a mutant of Aspergillus flavus producing more aflatoxin B2 than B1556

—. Genetics of aflatoxin production in Aspergillus flavus: linkage between a gene for a high B₂: B₁ ratio and the histidine locus on linkage group VIII 1185

Parasexuality, Aspergillus 1185 Parker, Bruce C. and Martha K. Roane (eds.). Distributional history of the biota of the southern appalachians: part IV. Algae and fungi: biogeography, systematics, and biogeography, sys ecology; review 868 Pathogenic fungi 299

Pechak, David G. and Richard E. Crang. An analysis of Aureobasidium pullulans developmental stages by means of scanning electron micros-

copy 783 ce, T. F. See Dickinson and Peerce 654

Pentaketide metabolites of Verticillium dahliae. II. Accumulation of naphthol derivatives by the aberrant-melanin mutant BRM-2 164

Percurrent proliferation of sporangio-phores in the genus Albugo 637

Permanganate 1209 Perrin, Peter W. Spore trapping under hot and humid conditions 1214

Donald H. Annotated index to fungi described by N. Patouillard; review 1248

Phialoconidiogenesis 1058

Phillips, Lou Ellen and Thomas J. Leonard. On the oxidation of dihydroxyphenylalanine and benzidine in crude cell-free fungal extracts 413

Phosphate effect, Pleuropedium 919

Phylogeny, Gastroboletus 59 Physiological studies with the aquatic hyphomycete Pleuropedium tricladioides isolated from the freshwater nematode Neomesomermis flumenalis 914

Physiology Bipolaris 773 Boletaceae 118 Cephaloascus 551 Ceratocystis 524, 615 Chaetomium 492 Dictyuchus 263 Penicillium 750 Phycomyces 189 Phyllosticta 349 Pleurotus 276

Xylomyces 284 Pine stem rusts of Canada; review 1254 Plant biochemistry II; review 1256 Plasmodial incompatibility reactions in

the true slime mold Physarum cinereum 46

Plant viruses; review 1257 Pleurotus tuber-regium from Nigeria 271 Pollock, Steven H. Magic mushroom cultivation; review 1256 Polyporaceae of North Europe; review

1250

Possible phylogenetic significance of mitochondrial configurations in the acrasid cellular slime molds with reference to members of the Eumycetozoa and fungi 579

Postemergent herbicides and the biology of Drechslera sorokiniana: effects on conidial germination, vegetative

growth, and reproduction 1083 Frederick J. See Cronin and Post, Fred Post 846

Powell, John M. See Hiratsuka and Powell 1254

Preliminary taxonomic study of Nigerian graminicolous Uredinales. rusts from Nsukka-I 734

Preparing myxomycete spores for SEM 1045

Preservation of Moellerodiscus lentus (Sclerotiniaceae) by freeze-drying whole apothecia 1206 Presidential address 1

Proceedings of the eighth international conference on numerical taxonomy; review 221

Protein 1031

Pseudevernia furfuracea-olivetorina relationships: chemistry and ecology 604

Pseudocochliobolus nisikadoi, the perfect state of Helminthospoirum coicis 1109

Pseudoecteinomyces, a new genus of Laboulbeniales (Ascomycetes) 1073 Pteridophytes, Isoetes 844 Pycnidium, Phyllosticta 349

Radial growth responses to temperature by 58 Chaetomium species, and some taxonomic relationships 492

Raitviir, A. See Wells and Raitviir 987 Ramachar, P. and G. Bhagyanarayana. Mycological notes on some rust fungi reported from India 1076

Rao, V. G. See Narendra and Rao 1191 Raper, Kenneth B., Ann C. Worley and Dietrich Kessler. Observations on Guttulinopsis vulgaris and Guttulinopsis nivea 1016

Rapid method for the isolation of tetrads in higher basidiomycetes 210

Recent advances in aquatic mycology; review 656

Reid, C. P. P. See Kidd et al. 615 Report of a dematiaceous hyphomycete from the Great Salt Lake, Utah 846 Response of Uca pugilator to diets of

two selected yeasts 1062 Resting spore germination in three chytrids 34

Revision of the fungi formerly classified as Nectria subgenus Hyphonectria; review 219

Revision of Torula and Hormiscium species. Torula occulta, T. diversa, T. elasticae, T. bigemina and Hormiscium condensatum reexamined 533

Rhizidiomycopsis bullatus, a new zoosporic fungus 661

Rhizidiomycopsis on azygospores of Gigaspora margarita 1053

Rhizomorphs 1042

Rhode Island, hyphomycete 280 Riffle, Jerry W. First report of vesicular-arbuscular mycorrhizae on

Elaeagnus angustifolia 1200 Roane, Martha K. See Parker and Roane 868

Rogers, Donald P. L. D. de Schweinitz and early American mycology 223

Rogers, Jack D. Shirl O. Graham, 1918-1976 437

Rogerson, Clark T. [Review of] Internationale bibliographie der Hypomycetaceae (Mycophyta, Ascomycotina) 1237 ——. [Review of] Introduction to the history of mycology 861 Romagnesi, H. See Kühner and

Romagnesi 1255 Roncadori, R. W. See Barrows and Roncadori 1173

Rossi, Walter. Pseudoecteinomyces, a new genus of Laboulbeniales (Ascomycetes) 1073

Rossman, Amy Y. The genus Ophionectria (Euascomycetes, Hypocreales) 355

Roxon, J. E. and S. C. Jong. Sexuality of an edible mushroom, Pleurotus sajor-caju 203

Roy, K. See Orr et al. 126 Rust fungi, India 1076

Ryvarden, Leif. See Eriksson and Ryvarden 864

— The Polyporaceae of North Europe; review 1250

Safeeulla, K. M. Biology and control of the downy mildews of pearl millet, sorghum and finger millet; review 1250

Sagoo, G. S. See Flannigan and Sagoo 514

Salt, hyphomycete 846

Samuels, Gary J. A revision of the fungi formerly classified as Nectria subgenus Hyphonectria; review 219 ——. Nectria consors and its Volu-

tella conidial state 255

Sanders, F. E., Barbara Mosse, and P. B. Tinker (ed.) Endomycorrhizas; review 212

Savile, Douglas and Luella K. Weresub. Mary Elizabeth Elliott (1923–1976) 460

Scandinavia, Brevilegnia 287

Scanning electron microscopy/1976/II; review 440

Scanning electron microscopy/1976/1; review 440

Schenck, N. C. and T. H. Nicolson. A zoosporic fungus occurring on species of Gigaspora margarita and other vesicular-arbuscular mycorrhizal fungi 1049

Schisler, Lee C. and Olga Volkoff. The effect of safflower oil on mycelial growth of Boletaceae in submerged liquid cultures 118

Schmidt, Elmer L. and C. M. Christensen. Strobilurus kemptonae on cones of Pinus strobus 428

Schoknecht, Jean D. and J. L. Crane. Revision of Torula and Hormiscium species. Torula occulta, T. diversa, T. elasticae, T. bigemina and Hormiscium condensatum reexamined 533

Schweinitz, L. S. de; biography 223

Sclerotiniaceae 1206 Seasonal occurrence and distribution of fungi associated with Spartina alterniflora from a Rhode Island estuary

Seckinger, Andrew. See Cunfer and Seckinger 1142

Second supplement to "chemical and botanical guide to lichen products"; review 1241

Seymour, Roland [Review of] Recent advances in aquatic mycology 656 Sexuality of an edible mushroom, Pleurotus sajor-caju 203

Shadomy, H. Jean. See Dixon et al. 1193

Shadomy, S. See Dixon et al. 1193
Shaw, C. Gardner. [Review of] Biology
and control of the downy mildews
of pearl millet, sorghum and finger
millet 1250

of pear inflict, so millet 1250
Shearer, C. A. and J. L. Crane. Fungi of the Chesapeake bay and its tributaries VI. Trichocladium achrasporum, the imperfect state of Halosphaeria mediosetigera, a marine ascomycete 1218

Shearer, C. A. and Margann Miller. Fungi of the Chesapeake bay and its tributaries V. Aniptodera chesapeakensis gen. et sp. nov. 887

peakensis gen. et sp. nov. 887 Sherwood, Martha A. [Review of] Lichen flora of the Antarctic Continent and adjacent islands 655

nent and adjacent islands 655

. [Review of] Second supplement to "chemical and botanical guide to lichen products" 1241
Shirl O. Graham, 1918–1976; biography

437
Siegel, Malcolm R., and Hugh D. Sisler (eds.). Antifungal compounds.

Volume 1: discovery, development and uses; review 1257 Sinclair, J. B. See Dhingra and Sinclair 1254

Singer, Rolf. An interpretation of Palaeosclerotium 850

Singer, Rolf. [Review of] Fungorum libri bibliothecae Joachim Schliemann 866

 See Machol and Singer 1162
 and Ernst E. Both. A new species of Gastroboletus and its phylogenetic significance 59

Singer, R. [Review of] Memoirs of the New York Botanical Garden, vol. 28, number 1 216

genus in the Rhodophyllaceae, Agaricales, Basidiomycetes 215 gh, N. Effect of pH on the tolerance

Singh, N. Effect of pH on the tolerance of Penicillium nigricans to copper and other heavy metals 750 Sisler, Hugh D. See Siegel and Sisler

1257 Slobodchikoff, C. N. (ed.). Concepts of species; review 868

Smith, Alexander H. Comments on hallucinogenic agaries and the hallucinations of those who study them 1196

Smith, J. E. and D. R. Berry (eds.). Filamentous fungi. Vol. II; review 440

Smith, Kenneth M. Plant viruses: review 1257

Smith, M. Th. See von Arx et al. 867 Snell, Esther D. and Walter H. Snell. [Review of] California mushrooms: a field guide to the boletes 212

Snow, Glenn A. See Burdsall and Snow 503 Soil fungi 563

Some aspects of bipolar heterothallism and other cultural characters of Poria carnegiea 761

Some aspects of chemotaxis using the cellular slime molds as an example 443

Some environmental and nutritional factors affecting growth and sporulation of Ceratocystis paradoxa 524 South Indian Agaricales II 185

Sparrow, F. K. Rhizidiomycopsis bullatus, a new zoosporic fungus 661

Rhizidiomycopsis on azygo-

spores of Gigaspora margarita 1053 Species of Exidiopsis (Tremellaceae) of the U.S.S.R. 987

Spermatophytes Abies 842

Allium 273, 341, 793–825 Arctostaphylos 209 Calocedrus 968, 969

Capsicum 273 Carex 231, 240 Carya 626

Celtis 180 Chamaecyparis 968, 969

Cupressus 969 Elaeagnus 1200 Euphorbia 1174 Fagara 273

Fagus 515 Fraxinus 180, 485 Garcinia 273 Gymnocladus 180

Hevderia 968

Juniperus 180, 613, 967, 969, 983, 1194

Larix 66

Libocedrus 968

Lilium 873 Liquidambar 1194

Melandrium 871

Monotropsis 228

Picea 66, 515 Pinus 34, 66, 209, 613, 983, 1105,

1121-1128, 1194

Platanus 1194

Polygonum 844 Pongamia 844

Populus 180

Prunus 626

Pseudotsuga 842, 848

Pyrus 967

Quercus 180, 207, 515, 613, 626,

1101, 1105 Rhizophora 478

Schweinitzia 228

Sorghum 1174

Spartina 477-491, 838

Thalassia 478

Tsuga 1105

Typha 485

Ulmus 180, 626 Viola 230

Vitis 180

Spiral growth of Phycomyces: some new observations in the northern and southern hemispheres 189

Spore germination 34

thermophilic fungi 109

Spore germination in the myxomycete Fuligo septica: evidence for the existence of a soluble autocatalytic factor 96

Spore trapping under hot and humid conditions 1214

Sporulation

Blastomyces 1193

Ceratocystis 524

Sporothrix sanguinea, sp. nov. 651 Srebro, J. P. See Domnas et al. 875

Stafleu, Frans A. and Richard S. Cowan. Taxonomic literature: a selective guide to botanical publications and collections with dates, commen-taries, and types. I, A-G; review 865

Stelzig, D. A. See Kurian et al. 1203 Sterol requirement for zoospore formation in the mosquito-parasitizing

fungus Lagenidium giganteum 875 Stipanovic, Robert D. and Alois A. Bell. Pentaketide metabolites of Verticillium dahliae. II. Accumulation of naphthol derivatives by the aberrant-melanin mutant BRM-2

Storck, R. and R. C. Morrill. Nuclei, nucleic acids and protein in sporangiospores of Mucor bacilliformis and other Mucor species 1031

Strobilurus kemptonae on cones of Pinus strobus 428

Strains of fusidia which can be mistaken for Actinomycetes 81

Studies on Cercospora and allied genera. VI. Pseudocercospora Speg., Pantospora Cif. and Cercoseptoria Petr; review 867

Study of the boreal, alpine, and arctic species of Melanoleuca 927

Stuntz, D. E. See Grund and Stuntz 392

Subramanian, C. V. and K. Natarajan. Genera Agaricostilbum and Amero-

botryum 1224 Sundberg, Walter J. See Trappe and Sundberg 433

Survival of some aquatic hyphomycetes under dry conditions 843 on, B. C. Coelomyce

Sutton, B. Coelomycetes VI. Nomenclature of generic names proposed for coelomycetes; review 1257

and C. S. Hodges, Jr. Harknessia araucariae from Brazil 829 Synopsis of the genus Hapalophragmium (Uredinales) 21

Systemic fungicides; review 1255

Taiwan, freshwater fungi 1079

Tampa Bay, pathogenic fungi 299 Tang, Hsi-Chang. See Collins and Tang 421

Tansey, Michael R. See Barone and Tansey 793

See Jack and Tansey 109 and Michele A. Jack. Growth of thermophilic and thermotolerant fungi in soil in situ and in vitro 563

—, Don N. Murrmann, Barbara K. Behnke, and Edward R. Behnke. Enrichment, isolation, and assay of growth of thermophilic and thermotolerant fungi in lignin-containing media 463

Tavares, Isabelle I. and Jean Balazuc. Misgomyces mastacis (Laboulbeniales)-its structure and host relationship 1069

Taxonomic position of Hydropus floccipes and allied species-a quantitative approach 1162

Taxonomic literature: a selective guide to botanical publications and collections with dates, commentaries, and types. Vol. I, A-G; review 865

Taxonomy of Cronartium quercuum and C. fusiforme 503

Taylor, John J. Sporothrix sanguinea, sp. nov. 651

Techniques

Cryofracture 309 SEM 1045 Temperature effect Bipolaris 776

> Chaetomium 492 Pleuropedium 918 Poria 770

Terfezia gigantea (Tuberales) in North America 433

Thakur, S. B. Occurrence of spores of thermophilic fungi in the air at Bombay 197

Percurrent proliferation of sporangiophores in the genus Albugo 637

——. Survival of some aquatic hyphomycetes under dry conditions 843

Thermophilism, Chaetomium 720 Thermophilic fungi 109, 197, 463, 563 Thermotolerant fungi 463, 563 Thiamine effect

Cokeromyces 622 Dimargaris 622

Thiers, Harry D. California mushrooms: a field guide to the boletes; review 212

Tinker, P. B. See Sanders et al. 212
Toxin production by Cristulariella pyramidalis 1203

Trappe, James M. and Walter J. Sundherg. Terfezia gigantea (Tuberales) in North America 433 Tremellaceae, U.S.S.R 987

Truffle 626

Tsao, Peter H. and Arporn Tummakate. Identity of a Phytophthora species from black pepper in Thailand 631

from black pepper in Thailand 631 Tsuda, Mitsuya, Akinori Ueyama and Natsuki Nishihara. Pseudocochliobolus nisikadoi, the perfect state of Helminthosporium coicis 1109

Tu, C. C., Y. H. Cheng, and James W. Kimbrough. New species of Thanatephorus from jute in Taiwan 409

Tummakate, Arporn. See Tsao and Tummakate 631

Tuber spinoreticulatum, a new truffle from Maryland 626

Twin fruit bodies in a slender-stemmed form of Cyathus stercoreus 199

Uecker, F. A. and H. H. Burdsall, Jr. Tuber spinoreticulatum, a new truffle from Maryland 626 Uellner, Winfried (ed). Fungorum libri bibliothecae Joachim Schliemann; review 866

Ueyama, Akinori. See Tsuda et al. 1109 Ullrich, Robert C. Natural distribution of incompatibility factors in basidiomycetous fungi 714

Ultrastructure
Aureobasidium 783
Cephaloascus 552
Chaetomium 720
Fusidium 84
Metarrhizium 1058
Myxomycetes 1045

Ultraviolet light effect, Phyllosticta 349 Undescribed hyphomycete from wood submerged in a Rhode Island stream

Untersuchungen über die morphologische und biologische differenzierung in der Fusarium-sektion Liseola; review 1247

Uredinales 734

Use of permagnanate to increase electron opacity of fungal walls 1209 U.S.S.R., Tremellaceae 987

Variable-medium culture chamber for fungi 835

Vesicular-arbuscular mycorrhizal fungi 1049, 1200

Vitamin effect, Pleuropedium 920 Volkoff, Olga. See Schisler and Volkoff 118

Volz, P. A. See Liu and Volz 1079 von Arx, J. A., L. Rodrigues de Miranda, M. Th. Smith, and D. Yarrow. Genera of yeasts and yeast-like fungi; review 867

Wagner-Merner, Diane TeStrake. See Bergen and Wagner-Merner 299

Warning against the use of benzidine 416 Warren, H. L., Arthur Jones, Jr., and D. M. Huber. Morphological and physiological differences between Bioplaris maydis races o and t 773

Weber, Nancy S. [Review of] Les lactaires 1237

Webster, R. K. See Nelson et al. 173Wells, K. and A. Raitviir. The species of Exidiopsis (Tremellaceae) of the U.S.S.R. 987

Wells, Kenneth. See Hung and Wells 685

Weresub, Luella K. See Savile and Weresub 460

Weresub, L. K. [Review of] Monographie des Typhula Fr., Pistillaria Fr. et genres voisins 863

Westergaard, Mogens; biography 871

- Wicklow, D. T. [Review of] Fungi: an introduction 1244
- Willets, H. J. See Byrde and Willets 1240
- Wolf, Frederick T. See Fox and Wolf 263
- Wong, William M. and Hans E. Gruen. Changes in cell size and nuclear number during elongation of Flammulina velutipes fruitbodies 899
- Wood degradation, Aspergillus 514
- Wood hyphomycete 280
- Worley, Ann C. See Raper et al. 1016
- X-ray emission microanalysis of Cladonia cristatella from a coal strip-mining area in Ohio 855
- Yarrow, D. See von Arx et al. 867

- Yarwood, C. E. Moving particles of vacuoles of Erysiphaceae 826
- Zentmyer, George A. See Baker et al. 221
 - See Ho and Zentmyer 701
- See Ho et al. 641 Zickler. Denise. Mogens Westergaard 1912-1975 871
- Zoospore formation Lagenidium 875
- Zoospore, hallmark of the aquatic fungi 1 Zoosporic fungus occurring on species of
- Gigaspora margarita and other vesicular-arbuscular mycorrhizal fungi 1049
- Zur Ökologie der Porlinge: Untersuchungen über die Sporulation einiger Porlinge und die an ihnen gefundenen Käferarten; review 217
- Yeast-like fungi 341

HOST INDEX

The Host Index includes generic names of hosts and those fungi which are definitely indicated in the text as occurring on a host.

- Abies
 - Exidiopsis calcea 1000; grisea 994 Scoleconectria cucurbitula 367, 368 Thyronectria balsamea 369
- Syncephalis sphaerica 1010
- Abutilon
- Puccinia abutili 1076
- Acacia
 - Hapalophragmium acaciae ponderosum 31; tandonii 32
- Acer
 - Cerrena unicolor 1228
 - Cryptocoryneum condensatum 545 Diderma corrugatum 181
 - Exidiopsis calcea 999, 1000
 - Hymenochaete tabacina 1228
 - Hyphoderma puberum 1228 Hyphondontia aspera 1228
 - Panus strigosus 1229
 - Phanerochaete cremea 1229
 - Phyllosticta minima 1231 Steccheriaum fimbriatum 1229
 - Stereum complicatum 1229 Vararia investiens 1229
- Volutella 1231
- Achlya
- Rhizidiomycopsis japonicus 1056 Actinomucor
- Syncephalis sphaerica 1009, 1010 Aedes (animal)
 - Lagenidium giganteum 875

- Agave
 - Coniosporium diversum 535
 - Tubeufia paludosa 384
- Albizzia Exidiopsis calcea 999
- Alnaster
 - Exidiopsis griseobrunnea subsp griseobrunnea 1005
- Alnus
- griseobrunnea subsp Exidiopsis griseobrunnea 1005 Amaranthus
- Albugo bliti 638 Amomum
- Tubeufia paludosa 385
- Andropogon Puccinia eritraeensis 738
- Angylocalyx Hapalophragmium angylocalycis 30
- Araucaria Harknessia araucariae 831
- Arctium
- Tubeufia paludosa 385 Arundinaria
- Ophionectria uredinicola 387
- Asclepias Parasterina laxiuscula 364
- Aureobasidium Syncephalis sphaerica 1010, 1011
- Balladyna
 - Ophionectria balladynae 387

Rambusa

Ophionectria erinacea 385, 386 Tubeufia paludosa 384

Bertia

Tubeufia cerea 383

Betula

Diatrype stigma 382 Exidiopsis calcea 1000; candida 989;

effusa 992 Fomes fomentarius 1228 Hirschioporus pargamenus 1228

Hydnochaete olivaceum 1228 Hyphodontia crustosa 1228 Hyponectria betulina 960 Irpex lacteus 1228

Moellerodiscus lentus 1207 Phanerochaete cremea 1229 Physalospora betulina 960 Piptoporus betulinus 1229

Stereum hirsutum 1229 Blakeslea

Syncephalis sphaerica 1010 Blechnum Desmella superficialis 386

Ophionectria tropicalis 386 Brachiaria Puccinia substriata var insolita 735

Uromyces leptodermus 735; setariaeitalicae 735 Brachyglottis

Podonectria coccicola 378 Brassica

Diderma rugosum var asiatica 184 Bulbostylis

Telimenella 955 Buxus

> Hyponectria buxi 961 Pseudonectria rousseliana 256

Calamus Ophionectria calamicola 388

Calycanthus Phyllactinia 827

Phytophthora cinnamomi 702 Candida

Syncephalis sphaerica 1011 Canthium

Ophionectria balladynae 387 Carnegiea Poria carnegiea 761

Castanea Endothia parasitica 1227 Hyponectria rubescens 964 Phytophthora cambivora 642

Licea inconspicua 673

Celtis Licea inconspicua 673

Cephaloascus Syncephalis sphaerica 1012 Ceramium

Pythium marinum 246

Chrysothamnus

Hyponectria gregaria 962 Circinella

Syncephalis sphaerica 1010 Claytonia

Puccinia mariae-wilsoniae 311

Clerodendron

Ophionectria clerodendri 376 Coccytius (animal)
Cordyceps tuberculata 373

Cocos

Amerobotryum indicum 1225 Coffea Ophionectria foliicola 388

Helminthosporium coicis 1109 Ophiobolus coicis 1116; grafianus 1116

Cokeromyces

Dimargaris verticillata 622 Syncephalis sphaerica 1009, 1010

Collybia Verticillium 1231

Coptis Colletotrichum dematium 1231 Corchorus

Rhizoctonia 409

Cordyceps **Ophionectria** lloydii 374 Torrubiella lloydii 362, 373

Coriolus Eleutheromycella mycophila 1231 Rhinocladiella 1231

Cornus Diderma corrugatum 181 Exidiopsis calcea 1000

Corylus Cryptocoryneum condensatum 545 Crataegus

Exidiopsis calcea 999; gypsea 996 Sphaerotheca fuliginea 827, 828

Cucumis Sphaerotheca fuliginea 827

Culex (animal) Lagenidium giganteum 875

Cunninghamella Syncephalis sphaerica 1010 Cynodon

Puccinia cynodontis 737 Cystopteris

Hyalopsora polypodii 509

Dalbergia Hapalophragmium pieningii 29 Dalbergiella

Hapalophragmium pieningii 29

Hapalophragmium anamaliensis 24; derridis 30; kawakamii 32;

- mysorense 28; pulchrum 25; setulosum 28
- Desmella Ophionectria tropicalis 386
- Diatrype Nectria episphaeria 1227 Tubeufia cerea 382, 383
- Digitaria Puccinia digitariae-velutinae 736
- Dipodascus Syncephalis sphaerica 1012
- Dryopteris Ophionectria tropicalis 386 Duschekia
 - Exidiopsis griseobrunnea subsp griseobrunnea 1005; var macrogyan 1004
- Elaeis Ceratocystis paradoxa 524
- Elettaria Tubeufia paludosa 385
- Eleusine Pyricularia 954 Endomyces
- Syncephalis sphaerica 1012 Englerula
- Tubeufia asclepiadis 365 Eucalyptus
- Harknessia fumaginea 829 Physalospora eucalypti 1192
- Euphorbia Pleurotus sajor-caju 204
- Eurya Ophionectria globosa 389
- Eutypa Tubeufia cerea 383 Evolvulus
- Albugo evolvuli 638 Exidia
- Hypocrea sulphurea 1227
- Fagus Bertia moriformis 383 Cryptocoryneum condensatum 545 Exidiopsis calcea 999; effusa 992
- Hypoxylon deustum 1227 Festuca Telimenella 956
- Ficus Gliomastix elasticae 537
- Fiorinia (animal) Podonectria coccorum 379
- Fraxinus Cryptocoryneum condensatum 545 Furcraea
 - Coniosporium diversum 537
- Geranium
- Plasmopara geranii 1227 Gigaspora
 - Rhizidiomycopsis 1049; stomatosa

- Gilbertella
- Syncephalis sphaerica 1009, 1010 Glomus
- Rhizidiomycopsis 1053
- Haplosporangium
- Syncephalis sphaerica 1010
- Helianthus Erysiphe cichoracearum 827
- Helicostylum Syncephalis sphaerica 1010
- Hemitrichia Byssostilbe stilbiger 372
 - Ophionectria oubanghensis 389
- Homonoia Ophionectria lagunensis 389
- Hordeum Claviceps purpurea 1143 Erysiphe graminis 827
- Humulus Sphaerotheca humuli 827
- Hydnophyton Ophionectria anomala 388 Hydnoporia
- Trichoderma 1231 Hyparrhenia Puccinia eritraeensis 737
- Imperata Puccinia fragosoana 738
- Ipomoea Albugo ipomoeae-aquaticae pestigridis 638
- Sphaeria gangraena 955
- Juniperus Diderma corrugatum 181
 - Gymnosporangium confusum 969; dobrozrakovii 969; fuscum 969; fusisporum 969
 - Licea denudescens 670; inconspicua 673; perexigua 676; pseudoconica 678; scyphoides 680 Podonectria coccorum 379
- Kalmia Cercospora kalmiae 1229 Eversia subopaca 542

Pseudevernia 605

- Lactuca Hyponectria depressa 961
- Exidiopsis calcea 1000 Scoleconectria cucurbitula 367
- Leucapsis (animal) Podonectria coccicola 378
- Linum Volutella lini 261
- Lobelia Melampsora mundkurii 1078

Lonicera

Hyponectria lonicerae 962

Loudetia

Phakopsora loudetiae 739

Lycopersicon Cristulariella pyramidalis 1204

Lycopodium

Ceuthospora lycopodii 1229 Mollisia lycopodii 1227 Phacidina gracile 1227 Pseudomassaria lycopodina 1227 Strasseria nigra 1231

Macaranga

Englerula macaranga 365

Meliola maesae 388

Magnolia

Eversia subopaca 542 Hyponectria magnoliae 963 Nectria consors 260 Strobilurus 428

Malus

Exidiopsis calcea 999 Licea scyphoides 680

Massaria

Tubeufia cerea 383 Mastax (animal)

Laboulbenia chopardii 1072 Misgomyces mastacis 1071 Rhacomyces alluaudii 1072

Melaleuca Harknessia renispora 829

Meliola

Ophionectria luxurians 388

Memecylon Harknessia gharsei 829

Metrosideros Ophionectria ambigua 375

Millettia

Hapalophragmium deightonii 23; millettiae 25; millettiae-rhodanthae 26; ornatum 29

Mimosa

Licea denudescens 670

Morrenia

Phytophthora citrophthora 757

Syncephalis sphaerica 1008, 1009, 1010

Mycotypha

Syncephalis sphaerica 1010

Neomesomeris (animal)

Pleuropedium tricladioides 914-926

Olneya Licea pseudoconica 678

Onoclea

Dasyscyphus pteridis 1227

Oreopanax

Nectria ignia 260

Oryza

Magnaporthe salvinii 953

Osmunda

Pezizella chrysostigma 1227

Pachycereus

Poria carnegiea 761

Pachysandra

Pseudonectria pachysandricola 256 Volutella pachysandrae 256

Palicourea

Erinella bicolor 377

Pandanus

Nectria consors 260 Volutella ciliata 260

Panicum

Puccinia huberi 736

Uromyces linearis 734; setariae-italicae 735

Parasterina Calonectria hendrickxii 364

Paspalum

Claviceps paspali 1137, 1142

Pavetta

Ophionectria balladynae 387 Peltophorum

Gymnopilus tropicus 186 Penicillium Piptocephalis xenophila 1013

Pennisetum

Phakopsora apoda 737

Puccinia stenotaphri 736 Phaseolus

Cristulariella pyramidalis 1203

Philampelus (animai.

Cordyceps tuberculata 373

Agaricostilbum palmicola 1224

Phormium

Nectria consors 260

Phragmites

Tubeufia paludosa 384

Phycomyces

Syncephalis sphaerica 1010

Physalospora

Calcarisporium parasiticum 1212

Physcia

Licea inconspicua 673

Picea

Exidiopsis calcea 999, 1000 Scoleconectria cucurbitula 368 Tubulicrinis propinqua 1229

Pilaira

Syncephalis sphaerica 1010

Pilobolus

Syncephalis sphaerica 1010

Pinanga

Tubeufia paludosa 385

Pinus

Athelia fuscostrata 1228 Atheliopsis lunata 1228

Botryobasidium laeve 1228; subcoronatum 1228 Ceratocystis montia 615 Collybia conigenoides 428 Cronartium fusiforme 504: quer-

cuum 504

Eversia subopaca 542 Exidiopsis calcea 999, 1000 Gloecystidiellum ochraceum 1228 Gloeophyllum sepiarium 1228 Hirschioporus abietinus 1228 Hyphoderma tenue 1228 Lasiosphaeria depilata 375

Phanerochaete sanguinea 1229 Poria cinerescens 1229 Pseudevernia 605

Resinicium bicolor 1229; furfuraceum 1229 Scoleconectria cucurbitula 367, 368 Strobilurus kemptonae 429

Thyronectria balsamea 369 Tubulicrinis subulatus 1229 Valsa pini 1228

Phytophthora 631 Piptoporus

Cladosporium 1231 Hypocrea citrina var americana 1227 Hypomyces semitranslucens 1227 Orbilia epipora 1227

Platanus

Calonectria pyrochroa 365 Diderma rugosum 184

Plectocomia Tubeufia paludosa 385

Pleioblastus Puccinia kusanoi 387 Tubeufia paludosa 384

Drechslera sorokiniana 1084 Helminthosporium sativum 1084 Telimenella gangraena 955

Podocarpus Harknessia podocarpi 829

Polygonum Erysiphe polygoni 827 Nectria consors 255

Populus Hyponectria populi 964 Licea scyphoides 680 Steccherinum oreophilum 194 Tubeufia paludosa 384

Porphyra Pythium 246; marinum 247

Porphyrella Pythium marinum 249

Potentilla Taphrina potentillae 1228

Hydnochaete olivaceum 1228 Peniophora filamentosa 1229

Tomentella lateritia 1229 Tubeufia cerea 383

Pseudotsuga Strobilurus 428 Puccinia

Ophionectria uredinicola 387 Pyrus

Exidiopsis calcea 1000; gypsea 996 Gymnosporangium dobrozrakovii 969

Quercus

Eversia subopaca 542 Exidiopsis calcea 1000 Hydnochaete olivaceum 1228 Hyponectria auripuncta 959; cooptera 960 Odontia 1229 Ophionectria cupularum 383 Paullicorticium niveo-cremeum 1229 Phanerochaete sanguinea 1229 Pseudevernia 605 Sphaerotheca lanestris 827 Stereum hirsutum 1229 Taphrina coerulescens 1228

Radiomyces Syncephalis sphaerica 1010 Raphanus

Albugo candida 638

Hyponectria depressa 961 Rhipogonum Nectria consors 260

Rhizopus Syncephalis sphaerica 1010

Exidiopsis gypsea 996 Robinia

Exidiopsis calcea 1000 Rosa Sphaerotheca pannosa 827

Rubus Kuehneola uredinis 1228 Kunkelia nitens 1228 Ophionectria rubicola 389 Tubeufia paludosa 384

Rumex Erysiphe polygoni 827

Licea pseudoconica 678 Tubeufia paludosa 384 Saccharomycopsis

Syncephalis sphaerica 1012 Salix

Uncinula salicis 826 Setaria

Puccinia chaetochloae 735 Smilacina

Telimenella phacidioidea 957 Smithora

Pythium marinum 249

| Spartina | |
|---|---------------------------------------|
| Alternaria alterna | ta 483 |
| Buergenerula spar | tinae 483 |
| Claviceps maritin 483, 1147 | na 838; purpurea |
| Drechslera halode | s 483 |
| Epicoccum nigrun | n 483 |
| Halosphaeria ham | ata 483 |
| Leptosphaeria al | bopunctata 483; obiones 483; pela- |
| Lulworthia 483 | |
| Phaeosphaeria tyr | pharum 483 |
| Phoma 483 | |
| Pleospora pelagica Puccinia spargani | a 483; vagans 483 oides 483 |

| Licea scypholics 000 | |
|--------------------------|----------|
| Sporobolomyces | |
| Syncephalis sphaerica 10 | 10, 1011 |
| Sporobolus | |
| Uromyces tenuicutis 737 | |
| Stereospermum | |
| Melampsora stereosperm | i 1077 |
| Uredo stereospermi 1078 | |
| Syncephalastrum | |

cuphoides 690

Stagonospora 483

| Syncephalis | sphaerica | 1010 |
|--------------------------|-----------|------|
| Syzygites Syncephalis | sphaerica | 1010 |
| Syzygium | | |

Licea scyphoides 680

| Thalassia | |
|----------------------------------|---|
| Halosphaeria mediosetigera | a |
| Thamnidium | |
| Syncephalis sphaerica 1010 |) |
| Thamnus Exidiopsis calcea 999 | |
| Thuja Harknessia thujina 829 | |

| Tilia |
|----------------------------|
| Exidiopsis calcea 999 |
| Trichia |
| Ophiostilbe trichia 372 |
| Trifolium |
| Erysiphe polygoni 827, 828 |
| Trigonopsis |
| Syncephalis sphaerica 1011 |
| Tsuga |
| Ganoderma tsugae 1228 |
| Phellinus robustus 1229 |
| Poria tsugina 1229 |
| |

| Poria tsugina 1229 |
|------------------------------------|
| Ulex |
| Ophionectria ulicis 390 |
| Ulmus |
| Caloplaca ulmorum 740 |
| Ceratocystis ulmi 1151 |
| Diderma corrugatum 181 |
| Exidiopsis gypsea 996 |
| Licea denudescens 670; inconspicua |
| 673; perexigua 676; scyphoides |
| 680 |
| Poronidulus conchifer 1229 |
| Umbilicaria |
| Pseudevernia 613 |
| Manager |

| Vaccinium | |
|-----------------------|------|
| Exobasidium vaccinii | 1228 |
| Physalospora vaccinii | 953 |
| Vernonia | |
| Calonectria vernoniae | 366 |
| Vitis | |
| Licea scyphoides 680 | |

| Zea | |
|---------------------------------|----|
| Puccinia polysora 739; sorghi 7 | 38 |
| Zygorhynchus | |
| Syncephalis sphaerica 1010 | |
| Zuphium (animal) | |
| Ecteinomyces zuphiicola 1073 | |

Pseudoecteinomyces zuphiicola 1075

FUNGOUS TAXA INDEX

The Fungous Taxa Index includes genera, infrageneric taxa, species, the infraspecific taxa. New taxa and the pages where they are published are in bold-face type. An attempt has been made to correct mistakes in the spelling of scientific names where mistakes occur in the text. Synonyms are indicated by italicized page numbers. Illustrations are indicated by f preceding page numbers on which legends occur.

| Absidia 339; coerulea 517, 567; glauca | | |
|---|----|--|
| spinosa 1038 Acaniospora laevis 10 | 52 | |

Acauiospora laevis 1052 Achlya 3, 263, 268, 644, 1056; ambisexualis 264, 266, 267, 268, 1079,

1080; americana 1232, 1234, 1235; apiculata 263, 1079; bisexualis 263, 882, 1080; caroliniana 1079; crenulata 1080; debaryana 1079; dubia 263, 1079; flagellata 1080; formosana 1080; gossypii 1012; klebsiana 1079; prolifera 1079, 1080; proliferoides 1079; recurva 1079

Acrasis rosea 580, 583, f 584, 588 Acremonium 333, 339, 340, 539; polychromum 539; strictum 338

Acrodicty's 1229 Actinomucor elegans 1009, 1010, 1012, 1013

Acytostelium leptosomum 588

Agaricostilbum 1224-1226; palmicola

1224, f 1225 Agaricus 237, 900; alboflavidus 944; bisporus 119, 124, 731, 899, 911; brevipes 935; campestris 1013; melaleucus 945, 949; semilanceatus 1198

Agrocybe aegerita 210

Akrophyton tuberculatum 372 Albugo 637–641, f 638; bliti 637, 638, f 639, f 640; candida 637, 638 f 639; chardonii 638; evolvuli 637, 638, f 640; ipomoeae-aquaticae 637, 638, f 639, f 640; ipomoeae-panduranae 638; pestigridis 637, 638, f 639, f 640

Allescheria 464; terrestris 110-117, 464,

468, 470, 472, 473, 567, 573 Allomyces 4, 11, 443; arbuscula 4, 5, 1079; javanicus 1079; macrogynus 5, f 7, f 8, 1079; moniliformis 1079; neomoniliformis 1079; 1080; reticulatus 15

Alpova diplophloeus f europaeus 841, 842; luteus 841, 843; microsporus 842, 843; trappei 841

Alternaria 302, 305, 306, 338; alternata 481, 482, 483, 485, 488; tenuis f 1211, 1212

Amanita bisporigera 1095, f 1098, 1102; calyptroderma 1095, f 1098, 1101, 1106; citrina 1106; ocreata 1095-1108, f 1098, f 1099; pantherina 433; phalloides 1095-1108, f 1098, f 1103; suballiacea 1102; tenuifolia 1102; umbrinolutea 1228; verna 1095, 1097, f 1098, 1102, 1106; virosa 1097, f 1098, 1102, 1106; 1095, 1097, f 1098, 1101, 1106

Amauroascus 127, 138, 140, 141, 147; albicans 143; aureus 141, 143; echinulatus 159; kuehnii 145; niger 145; reticulatus 155, 160; ruber 141;

verrucosus 147 Amerobotryum 1225-1226; indicum 1225 Anguillospora crassa 844, 845; gigantea 925; longissima 844, 845

Aniptodera 887-893-898; chesapeakensis 887-894-898, f 889, f 890, f 892 Anisostomula 958; rubescens 964

Anixiella 79

Antipodium spectabile 359

Aphanoascus candidus 140; fulvescens 140

Aphanomyces cladogamus 1079; eu-

teiches 4; helicoides 1079; stellatus 1079

Apiospora 953

Arachniotus 126-163, 148; albicans 143; aurantiacus 136, 137, 158: aureus aurantiacus 136, 137, 158; aureus 140, 143; candidus 138, 141, 142, 143, 146; citrinus 130, 132, 133, 134, 135, 137, 150, 152, 154; confluens 130, 132, 134, 135, 152, 154; dankaliensis 127, 132, 148, 149, 150, 151, 152; desertorum 158; flavoluteus 127, 154, 155; glomeratus 143; hebridensis 135, 137, 143, 144; hyalingsporus 144; indicus 144; var hyalinosporus 144; indicus 144; var major 144; intermedius 144; lanatus 144, 145; lectardii 145; niger 145; marginosporus 145; punctatus 145; marginosporus 145; purcuatus 145; purpureus 145; reticulatus 145; ruber 140, *153*, 154; striatisporus 146; terrestris 140, 146; trachy-spermus 146; trisporus 146; verrucosus 147; verruculosus 130, 131; volatilis-pattelus 147

Arachnopeziza aurata 1227 Arachnotheca 127, 141, 143, 159, 160;

glomerata 143 Arcangeliella 980

Arcyria 179, 693, 697; cinerea 588, 697; denudata 697; elaterensis 693-700, f 694, f 696; leiocarpa 695; oerstedtii 698; stipata 695, 697

Arniella 73-80; exoura 73, 74-80, f 76; polycercia 74, 75-80, f 78

Arnium 73, 79; sect Arnium 79; sect Echria 79; macrotheca 79

Arthonia impolita 607 Arthrinium 953

Arthroderma 138

Articulospora tetracladia 844

Ascobolus immersus 689; stercorarius 689 Ascocybe grovesii 550, 553 Ascoidea 553

Aspergillus 190, 302, 305, clavatus 1058; flavus 329, 333, 556-1185-1190; var columnaris 1185; funigatus 110–117, 198, 302, 304, 305, 464, 468, 470, 471, 472, 473, 514–523, 567, 575, 1217; giganteus 1011; glaucus 154, 156, 158; nidulans 420; niger 302, 304

305, 754, 1208; parasiticus 1189 Astrosporina 432 Athelia fuscostrata 1228 Atheliopsis lunata 1228 Atkinsiella dubia 7, f 10

Aureobasidium 333; pullulans 783-792, f 786, f 788, f 790, 1010-1013

Aureoboletus 207

Aureomyces mirabilis 553

Auricularia cornea 989, 990; polytricha

Bacillus subtilis 975-979 Badhamia 179; affinis 180; rugulosa 180 Balladyna velutina 387

Barya 369, 370; agaricicola 361, 362, 369; byssicola 361, 362, 370, f 371
Basidiodendron 987

Beenakia 432 Belonidium tigrinum 383 Beltraniella portoricensis 953

Berkelella stilbigera 372 Bertia moriformis 383

Bipolaris 302, 1109, 1116; coicis 1118; maydis 733-782, f 778 Bispora betulina 535, 1229; occulta 533. f 534, 535; pusilla 535

Blakeslea trispora 1010 Blastocladia ramosa 11, f 12, 13 Blastocladiella 11, 13, 14; emersonii 2-5, f 8, 13-15

Blastomyces dermatitidis 1193-1195 Boletellus chrysenteroides 121, 123 Boletinellus merulioides 1228

Boletinus 70

Boletus 59, 70, 123, 912; auriporus 207; badius 1228; chrysenteron 120, 121; citriniporus 206, 207; edulis 118, 123, 124; elegans var cyanescens 68; flaviporus 207; mirabilis 120, 121; subvelutipes 1228; zelleri 120

Botryandromyces 1069 Botryobasidium laeve 1228; subcoronatum 1228

Bourdotia 987

Brachysporium nigrum 1229; ovoideum 1110; senegalense 1110; towato 1110 Brevilegnia 287–298; bispora 296, 297; diclina 291, f 293, 293, 295; globosa 291, 296; longicaulis 291, f 293, 1079; megasperma var brevicaulis 291, 296; var megasperma 291, f 295, 296; minutandra 291, 293; montana 289, 291, f 293, 296; parvispora 293, f 295, 296, 297; unisperma var delica 289, 290, 297; unisperma var deita 269, 291; var litoralis 289, 291; var montana 289, 290; var unisperma 288, 289, 291, 293, 295
Buergenerula 952; biseptata 952, 953; spartinae 480, 481, 483, 488, 953

Burgoa 468

Byssoascus 127, 141; striatisporus 146 Byssochlamys niveus 146 Byssostiibe stilbiger 361, 362, 372

Cacumisporium capitulatum 1229 Calcarisporium parasiticum f 1210, 1212 Callimastix cyclopis 11

Calonectria 356, 362; balsamea 369; belonospora 380, 381; bryophila 361, 362, 364; cerea 380, 381; cinnabarina 357, 360; fulvida 380, 381; hendrickxii 361, 362, 364; mellina 361, 362, 365; muscivora 364; pyrochroa 361,

362, 365; ornata 357, 359; theo-bromae 357; vernoniae 361, 362, 366 oplaca cerina 740-749, f 745; Caloplaca cerina 740–749, ulmorum 740–749, f 743, f 745

Calostoma lutescens 240

Candida 302, 305, 341; albicans 341-346, 793-825; 1211; guilliermondii 345; krusei 343, 345; lipolytica 646-651; parapsilosis 343, 345; pseudotropi-calis 345; rugosa 345; stellatoidea 345; tenuis 345; tropicalis 345, 1011

Cantharomyces 1069 Catenaria 11 Catenularia elasticae 537

Cauloglossum 229 Cavostelium apophysatum 588; bisporum 588

Cephaloascus 547; **albidus** 547, **548**–555, f 549, f 552; fragrans f 549, 550, 551, f 552, 553, 554, 851, 1011, 1012

Cephalosporium 302, 305, 619 Ceratiomyxa fruticulosa 588 Ceratiomyxella tahitiensis 588 Ceratobasidium 410

Ceratocystis 1130, 1135; coerulescens 1129, 1135; fagacearum 1150, 1151, 1157; fimbriata 1150, 1158, 1159; montia 615-618; paradoxa 524-532; ulmi 1149-1161; variospora 1129, 1131, 1133, 1135; virescens 1129-1136

Ceratosphaeria 954; grisea 954 Ceratostomella ulmi 1149 Cercospora kalmiae 1229 Ceriosporopsis halima 1218 Cerrena unicolor 1228 Cetrelia 607

Ceuthospora lycopodii 1229

Chaetomium 492-502, 720-733; abuense 493, 495, 496, 498, 499, 726; adinocladum 495, 496, 500, 728, f 729; africanum 726; alba-arenulum 495, 496, 726; amberpetense 726; ampullare 726; anguipilium 494, 726; angustispirale 494, 726; angustisporum 726; angustum 726; apiculatum 493, 499; arcuatum 726; aterrimum 494, 726; atrobrunneum 495, 496, 728; aureum 494, 500, f 723, 728; barilochense 726; bostrychodes 493, 494, 726; botuliforme 726; brasiliense 494, 726; brevipilium 494, 726; britannicum 492, 498, f 723, 726, 731; cancroideum 494, 726; caprinum 494, 500, 726; 726; caprinum 494, 500, 726; causiaeformis 495, 496, 726; circinatum 726; coarctatum 500; co-chliodes 494, 499, 726; congoensis 726; concinnum 726; confusum 728; convolutum 494, 726; crispatum 494, 499, 726; cruentum 494, 726; cuneatum 726; cuniculorum 495, 726:

496, 500, 728; distortum 495, 726; 490, 300, 725; distortium 493, 726; elatellum 727; elatum 495, 499, 720–733; erectum 495, 726; erraticum 495, 496, 499, 727; fibripilium 495, 726; flavigenum 728; funicolum 495, 499 726; fusiforme 728; fusisporale 726; fusum 494, 726; gangligerum 495 496, 728; gelasinosporum 493, 495, 496, 499, 720–733, f 729; giga-nigrosporum 726; globosum 495, 496, 499, 500, 726, 1012; gracile 495, 496, 499, 727; helicotrichum 500, 727; heterosporum 727; humicolum 728; hungaricum 727; hyderaba-495, 496, 728; marianense 727; medusarum 495, 496, 727; megalo-carpum 495, 728; microcephalum 727; minutum 727; mollicellum 495, 496, 727; mollipilium 495, 727; murorum 495, 499, 727; nigricolor 495, 496, 727; ochraceum 727; olivaceum 495, 727; ospaniae 495, 496, 500, f 723, 728, 732; pachypodiodes 727: perlucidum 494, 728, 731; pinnatum 494, 727; quadrangulatum 494, 727; rajasthanense 500; rectopilium 493, 499, 727; rectum 727; robustum 494, 500, 727; rubrogenum 728; semen-citrulli 495, 496, 721, f 723, 725, 727, f 729, f 730; seminudum 494; senegalensis 495, seminudum 494; senegatensis 495, 496, f723, 728; sorgelii 500; sphae-rale 727; spiculipilium 495, 727; spinosum 727; spirale 494, 496, 727; subspirale 495, 499, 727; subspiril-liferum 494, 727; succineum 495, 496, 727; sulphureum 727; tetrasporum 727; thermophile 198, 492, 493, 498, 500, 723, 732; var coprophile 468, 470, 472, 473, 492, 495, 497, 499, 567, 721, 723, f 725, 728, f 730, 732, 1234; var dissitum 110– 117, 468, 470, 472, 473, 474, 492, 495, 497, 498, 517, 520, 567, 571, 577, f 723, f 725, 728, 1234; var thermophile 492, 495, 497, f 725, 728; trigonosporum 727; trilaterale 720-733; var chiversii 727; var cupreum 727; var disporum 728; var trilaterale 500, 728; tortile 495,

torulosum 727; turgidopilosum 727; udagawae 494, 727; umbonatum 494, 727; undulatum 495, 496, 499, 500, 727; uniporum 493, 495, 496,

498, 727; variosporum 499, 723; venezuelense 493, 495, 496, 498, 500, 728; verrucichaeta 495, 496, 499, 727; virgecephalum 494, 728; virginicum 468, 495, 497, 498, 499, 723, 728, f 729, 732; warcupii 728

Chalara 1229; quercina 1157 Cheiromycella annulata 540, 542, 543 Chilonectria cucurbitula 367, 368, 369; rosellini 367

Chloridium 1229 Chrysosporium 143, 153; merdarium 144 Chytridium f 6 Circinella 1010

Cladochytrium elegans 43

Cladonia 225, 855; cristatella 855–860, f 856 Cladosporium 302, 305, 333, 339, 846.

Cladosporium 302, 305, 333, 339, 846, 847, f 847, 1229 Clasterisporium 238

Clavariopsis bulbosa 1218 Claviceps maritima 838; paspali 1137– 1141, 1142–1148; purpurea 481, 482, 483, 485, 488, 838, 1140, 1142–1148

Clavicorona pyxidata 1228 Clitocybe sect Pyxidatae 1049; clavipes 1228; fellea 1228; texensis 1047-1049, f 1048

Clitocybula 1169, 1171

Cochliobolus 1109, 1116, 1117; bicolor 1116; carbonus 117, 1116; cynodontis 1116; geniculatus 1119; heterostrophus 1116; homomorphus 1116; intermedius 1109; kusanoi 1116; lunatus 1118; miyabeanus 1109, 1116; actariae 1116; spicifer 173–178, 1119; stenospilus 1116; victoriae 1116

Cochliomyces 1075 Codinaea glauco-nigra 1231 Coelomomyces 11; psorophorae 11 Cokeromyces recurvatus 622–625, 1009, 1010

Collema pulposum 741 Colletotrichum dematium 1231 Collybia alkalivirens 1228; conigenoides

follybia alkalivirens 1228; conigenoides 428; dryophila 1228; eatoniae 1228; squamulosa 1228; subnuda 1231; velutipes 900; vulgaris 1228

Coltricia perennis 1228 Coniosporium diversum 535, f 536, 537 Coprinus ephemerus 899; lagopus 210, 211, 899, 900, 911; micaceus 1228; nycthemerus 899; radiatus 899, 900, 912

Copromyxa arborescens 580, f 585, 588 Cordyceps 362, 618; cockerellii 372, 373; militaris 374; robertsii 374; sphingum 373; tuberculata 361, 362, 372, 373 Coriolus biformis 1228; versicolor 1228, 1231

Corollospora pulchella 1218

Corticium abietis 998; calceum 998; macrosporum 1002

Cortinarius castaneoides 1228 Corynespora 1231

Costantinella micheneri 1231 Cremasteria cymatilis 1218 Cribbea 852, 853

Cribraria 179

Cristulariella pyramidalis 1203-1206, f 1205

Cronartium fusiforme 503-508, 1129; quercuum 503-508; f sp banksianae 505; f sp echinatae 505; f sp fusi-forme 505; f sp virginianae 505

Crucibulum 202 Cryptococcus 333, 341, 346; laurentii 345; neoformans 345; terreus 345; uniguttulatus 345

Cryptocoryneum 543; bigeminum 540; condensatum 543, f 544; hysterioides 545

Cudoniella clavus 1227

Culcitalna achraspora 1219, 1222; pulchella 1222

Cunninghamella 302; elegans 1010 Curvularia 1109; coicis 1118; cynodontis 1112; geniculata 1110, 1116; heterostrophus 1112; intermedia 1 lunata 302, 304, 305, 1109, 1116

Cyanocephalium flavidum 375 Cyathus stercoreus 199-203, f 200 Cylindrocladium 1212

Cylindrophora 619 Dacrymyces falcatus 990

Dactylomyces crustaceus 468, 469, 470, 472, 473, 474, 567; thermophilus 110-117

Dasyscyphus carneolus var longisporus 1227; diminutus 1227; fuscescens 1227; niveus 1227; nudipes var minor 1227; pteridis 1227; virgineus 1227

Datronia mollis 1228 Dematium 580; aluta 227 Dendryphiopsis atra 1231 Desmella superficialis 386

Dialonectria coccicola 378; consors 257; fulvida 380

Diatrype stigma 382, 383, 1227

Dictyosporium 543, 1231; minor 540 Dictyosporium 543, 1231; minor 540 Dictyostelium 447, 448, 454, 1026; discoideum 326, 444, 445, 450, 452, 453, 580, f 581, 583, f 584, 588, 1028; mucoroides 444, 445 588; purpureum 445

Dictydiaethalium plumbeum 97 Dictyuchus 5, 263; monosporus 263-270, 1079; 1080; sterile 1079; variabilis 1080

Diderma 179-184; chondrioderma 180; corrugatum 180-184, f 183; imperialis 180; rugosum 180, 183, 184 Didymium 179; clavus 180; iridis 46, 51,

97, 580, f 584, 588 Digitatispora marina 56

Dimargaris verticillata 622-625 emasporium graminum var stri-gulosum 1231 Dinemasporium

Diplogelasinospora 79 Diplosporium 302

Dipodascus uninucleatus 1011, 1012 Discosphaerina 964; aplopappi 962 Dothidea gangraena 955

Drechslera 1109; coicis 1118; halodes 480, 481, 483, 485, 488; maydis 1084; sorokiniana 1083–1094, f 1087; victoriae 1084

Echinostelium 179; minutum 588 Ecteinomyces zuphiicola 1073, 1075 Eichleriella 988; alliciens 988; deglubans 988; leucophaea 988; macrospora 1002; schrenkii 988

Elasmomyces 980; mattirolianus 980 Eleutherascus lectardii 145 Eleutheromycella mycophila 1231 Emblemospora 79; ditrema 79, 80

Endocarpon pusillum 1042-1045, f 1042 Endogone 853; fasciculata 1183; mosseae 1183 Endomyces tetrasperma 1011, 1012

Endothia parasitica 1227 Englerula macaranga 365 Entoloma 1228; strictius 1228 Entophlyctis 13; confervae-glomeratae 9 Ephebe lesquereuxii 228 Epicoccum nigrum 481, 482, 483, 485, 488

Eremothecium ashbyii 1012 Erinella bicolor 361, 376; setulosa 385 Erysiphe cichoracearum 827; graminis 826, 827; polygoni 826, 827, 828 Escherichia coli 580, 1020, 1021, 1023,

1024

Eucantharomyces 1075 Eurotium amstelodami 156; rubrum 154

Eutypa hydnoidea 383 Eversia 539; subopaca 539, f 540, f 541, 542

Exarmidium 954 Exidia subg Exidiopsis 988; effusa 991;

987–1007; calcea 996, 998, 1000, f 1001, 1002; calospora 990; candida 988, 989, f 990, 991; effusa 991, f 992, 992, 998; grisea 992, 994, f 995 998; griseobrunnea 1005; subsp griseobrunnea 1004, 1005; subsp macrogyna 1002, 1004; griseobrunnea f 1003; var macrogyna f 1003; gypsea 995, 996, f 997, 998; laccata 1005; macrospora 1001, 1002; pallida 1006; peritricha 991; prolifera 990; quercina 991; sordida 988

Exobasidium vaccinii 1228

Exserohilum 1109

Flammulina velutipes 899-913, f 908 Fomes fomentarius 1228

Fuligo septica 96-108, 1227 Fusarium 255, 302, 305, 306, 328, 338, 339, 340, 1135, 1147; heterosporum 1147; moniliforme 329, 338; oxy-sporum f conglutinans f 1211, 1212; solani 302, 304

Fuscoboletinus ochraceoroseus 120, 121 Fusidium 81-95, f 83, f 84, f 86, f 89, f 90, f 92; griseum 82

Galerina 1228; sect Porospora 188; dimorphocystis 1228; paludosa 1228; sphagnorum 1228; truncata 186, f 187

Ganoderma tsugae 1228 Gastroboletus 59–72; boedijnii 59; lari-cinus 60, f 60, f 62, f 63, f 64, f 65, 67, 68, 69, 71, 72 Gelasinospora 79; calospora 1012

Geolegnia inflata 1079 Geophila 1198

Gerronema 1169 Geotrichum candidum 302, 304, 305

Gibberella zeae 338, 339 Gibellula 619

Gigaspora 1049-1053; coralloidea 1052; gigantea 1052; heterogama 1052; margarita 1049-1053, f 1050, 1054-

1058, f 1054, 1173-1184, f 1179 Gilbertella persicaria 1009, 1010, 1012, 1013

Gliocladium 302, 305, 1011; roseum f 1211, 1212

Gliomastix 302, 305, 539; elasticae 537, f 538; murorum 537; var polychroma 539

Gloecystidiellum ochraceum 1228 Gloeophyllum sepiarium 1228

Glomus 1052; fasciculatus 1183; macrocarpus var macrocarpus 1052; mosseae 1052, 1053, 1183

Gnomonia 896; longirostris 897; marina 896; salina 897

Gomphus 431, 432; subg Chloroneuron 431; subg Gomphorellus 431; subg Phaeoclavulinoides 431; grandis 431; guadelupensis 431; retisporus 431; viridis 431

Gonatobotrys simplex 1212 Gonatobotryum fuscum 624

Graphium ulmi 1149, 1157 Guignardia buxi 960; depressa 961; lonicerae 962; magnoliae 963; niesslii 964; populi 963

Guttulina 1021: rosea 1016, 1021 Guttulinopsis 1016-1030; clavata 1016, 1017, 1021; nivea 1016-1021-1030 f 1022, f 1025; stipitata 1016, 1017, 1021; vulgaris 580, f 581, 583, f 585, 588, 1016-1030, f 1019

588, 1010–1030, 1 1019 Gymnascella 126–163; aurantiaca 126, 129, 130, 137, f 139, 153, 154; citrina 134, 137, f 139, 144, 154; kamyschkoi 136, 137, 158

Gymnoascus 126, 130, 131, 138, 143, 147; aurantiaca 132, 135; aurantiacus 131; aureus 138; candidus 138, 141, 142; citrina 135; confluens 128, f 129, 130, *131*, 134, 154; flavus 144; ruber 132, 138, *153*, 154; verticillatus 142

Gymnomyces 980

Gymnopilus tropicus 185, 186 Gymnosporangium clavariaeforme 972, 973; confusum 969, 972, 973; dobrozrakovii 969; fraternum f 970, fuscum 967–974, f 970, f 971, f 972, 973; fusisporum 969; gracile 973;

nelsoni f 970; tremelloides f 970, 972, 973

Halocyphina 53-58; villosa 53, f 55, 56, 57

Halosphaeria circumvestita 1218; cucullata 1218; hamata 482, 483, 485, 488; mediosetigera 1218-1223, mediosetigera f 1220

Hansenula saturnus 1012

Hapalophragmium 21-33; acaciae 21, 23, 30, 31; anamalaiensis 21-24; an-30, 31; anamalaiensis 21–24; angylocalycis 21, 23, 30; deightonii 21, 22, 23, f 24, 25; derridis 21, 23, f 24, f 27, 29, 30, 31, 32; kawakamii 21, 23, 31, 32; millettiae 21, 22, 23, f 24, 25, 26; millettiae-rhodanthae 21, 22, 23, f 24, 26; mysorense 21, 22, f 24, f 27, 28; ornatum 21, 22, f 24, f 27, 28; ornatum 21, 22, f 24, f 27, 28; ornatum 21, 22, f 24, f 27, 28, 29; ponderosum 21, 23, f 24, 31; pullponderosum 21, 23, f 24, 31; pul-chrum 21, 22, 24, 25, 28; setulosum 22, f 24, 26, f 27, 28, 29; tandonii 21, 23, f 24, 32

Haplographium 1231 Haplomyces 1069

Haplosporangium bisporale 1010 Harknessia 829; araucariae f 830, 831; fumaginea 829; gharsei 829; podo-carpi 829; renispora 829; thujina 829

Harpochytrium 11; hedinii 4 Helicoma phaeosporium 1231 Helicosporium 1011; phragmites 384, 385 Helicostylum piriforme 1010

Helminthosporium 302, 1109, 1116; coicis 1109-1120, f 1113; kusanoi

1109; maydis 773, 1084; nodulosum 1109; sativum 1083-1094; sigmoi-deum 953; spiciferum 173, 1116; subopacum 539, 542; turcicum 975-979; victoriae 1084

Hemitrichia 179, 697; serpula 372 Henningsomyces 54, 56; minimus 56; pubera 56

Hirschioporus abietinus 1228; pargamenus 1228

Hirsutella 619

Homostegia gangraena 955 Hormiscium 533–546; condensatum 533– 546

Humicola alopallonella 1222; grisea 198; var thermoidea 467, 468, 471, 473; insolens 198, 468, 567; lanuginosa 110-117, 468, 471, 473, 474, 517, 567, 571, 573, 577; stellata 468, 471, 473

Hyalodendron 302 Hyalopsora aspidiotus 512; polypodii 509-513, f 511

Hyaloscypha dematicola 1231; hyalina 1227

Hydnangium 980, 983 Hydnochaete olivaceum 1228 Hydnoporia fuscescens 1231

Hydropus subg Hydropus 1169; sect Floccipedes 1169; subsect Floccipedes 1169; subsect Spuriae 1169; floccipes 1162-1172

Hygrophorus chlorophanus 1228; flavescens 1228; miniatus 1228; psitticinus 1228

Hymenochaete fuliginosa 1228; tabacina

Hyphoderma puberum 1228; tenue 1228 Hyphodontia aspera 1228; bugellensis 1228; crustosa 1228

Hypholoma fasiculare 716 Hypocrea aureoviride 1227; avellanea 1231; citrina var americana 1227; sulphurea 1227

Hypomyces aurantius 1227; semitrans-lucens 1227; solani 1150; stilbiger

Hyponectria 952-966; auripuncta 958, f 959, 959, 960; betulina 958, f 959, 960; buxi 958, f 959, 960; cacti 958; cooptera 960; dakotensis 958; de-pressa 958, f 959, 961; gregaria 958, f 959, 961; lonicerae 958, f 959, 962; magnoliae 958, f 959, 963; mohavensis 958; populi 958, f 959, 963; rubescens 958, f 959, 964

Hypoxylon 1227; deustum 1227; multiforme 1227

Inocybe 392-408, 432; acuta 392, 394, 395, f 396; connexa 400; fallax 398; fastigiata 1168; furfurea 408; var obscurobadia 407; lacera 404; var

heterosperma 403, f 404, f 407; lanatodisca 397; longicystis 394, 402; maculata 397; maritimoides f 396, 401, 402, f 407; neobrunescens 397; var leucothelota 395, f 396, 397; nodulosa 392, f 396, 400, f 407; obscurobadia 392, f 404, f 407, 407; pallidicremea f 396, 399, f 405; paludinella 398; parcecoacta 392, 394, f 396, f 405; subcarpta 394; umboninota 395; umbratica f 396, 397, 398, 399; umbrina 401 Irpex lacteus 197, 1228; tulipifera 1228

Isaria 619

Ixocomus elegans f badius 68

Klebsiella pneumoniae 1020, 1021, 1023, 1024, 1027

Kluyveromyces cicerisporus 517, 520 Kuehneola uredinis 1228

Kuehneromyces 188; mutabilis 188, 1228 Kunkelia nitens 1228

Laboulbenia 1069; chopardii 1072 Laccaria laccata 848-850, f 849, 1228; striatula 1228 Lactarius 980, 1197

Lacunospora 79 Laestadia auripunctum 959; buxifolia 960; depressa 961; magnoliae 963; rubescens 964

Lagenidium giganteum 875-886, f 883 Laridospora appendiculata 844, 845 Lasiosphaeria 363, 376; conica 375; depilata 361, 363, 375, 374; fuckelii 374; glabra 361, 363, 375; larvae-spora 379; rufula 361, 363, 375

Leccinum 70; aeneum 208, 209; armeniacum 209; aurantiacum 120, 121; scabrum 121, 1228; snellii 1228

Lemonniera aquatica 845, 925 Lentinus lepideus 1228

Lentodium 67 Leptosphaeria albopunctata 483, 484, 485, 488; discors 478; marina 483, 484; obiones 478, 481, 483, 484, 485, 487, 488; pelagica 481, 483, 484, 487, 488; salvinii 952

Leucoscypha rutilans 311, f 313, f 314

Leucosporidium 57 Licea, 179, 667-684; alexopouli 668, 681, 699; belmontiana 683; biforis 671, 674, 682; castanea 682; chelonoides 683; denudescens 668-671, f 669,

683; deplanata 668, 682; erecta 683; fimicola 681; hepatica 668, 682; inconspicua 671-674, f 672, 683; kleistobolus 681; marginata 671, 674, 682; minima 683; operculata 681, 683; parasitica 670, 671, 682; pedicellata 670, 679, 683; perexigua 674-678, f 675, 679, 681, 683; pseudoconica 670, 678, 679, f 677, 682; pumila 683; punctiformis 683; pusilla var pusilla 683; var pygmaea 682; retiformis 668, 682; scyphoides 677, 679–681, f 680, 683; synsporos 668, 682; tenera 676, 681, 683; testudinacea 683; tuberculata 682; variabilis 682

Lichen digitatus 225 Lignincola laevis 896 Lulworthia 481, 483, 485, 486, 488 Lycogala epidendrum 1227 Lycoperdon 1228; heterogeneum 240 Lyophyllum 944

Macbrideola 179
Maccagnia 980, 983
Macowanites 980
Magnaporthe 952–966; grisea 954; salvinii 953, 954
Malacaria entebbeensis 364, 387
Malbranchea pulchella var sulfurea 110–117, 468, 567
Marasmius glabellus 1228; praeacutus 1228; pyrrocephalus 1229; subnudus 1229
Martellia 980

Massaria 383 Melaleuca 949; vulgaris 945 Melampsora 1076; lini 325; mundkurii 1078; stereospermi 1077, 1078 Melanconium 363; luteocinctum 363

Melanoleuca 927-951; alboflavida 927, 928, 943, f 943, 944, 945, 946, 949; angelesiana 928, 931; borealis 928, 938, f 938, 940, 949; brevipes 928, 935, f 935, 936; cinerascens 935; cnista 943, 944; constricta 930; decembris 930; dehiscens 931; eccentrica 931; evenosa 928, 941, 943, f 943, 944, 945, 946, 949, f 949; excissa 935; var submedia 935; graminicola 928, 930, 931, 932, f 935, f 947, 949; grammopodia 935, 936, 937, 938, 944; luscina 930; melaleuca 927, 928, 945, f 946, 949; microcephala 935; microspora 928, 930, 931, 932, g 937, 938, f 938, 940; praecox 931; rasilis 931; oreina 932; pallida 928, 936, 937, 938, f 938, 940; praecox 931; rasilis 935; strictipes 943, 944; stridula 930; strimarginata 930; subbrevipes 935, 936; tanana 928, f 938, 940, 941, f 943, f 949, 949; utahensis 928, 933, f 935, 935, 936, 949; vulgaris 945, 949

Melanogaster luteus 840, 841, 843; microsporus 840, 841, 843 Melanomma subdispersum 1231 Melanomphalia 853

Meliola maesae 388 Merulius 1229 Metarrhizium anisopliae 1058-1061, f 1058

Metraria 852; insignis 853

Misgomyces 1069–1073; dyschirii 1069, 1071; mastacis 1069–1073, f 1071 Mitrula paludosa 1227

Moellerodiscus lentus 1206–1208 Mollisia cinerea 1227; lycopodii 1227 Monilia 302, 305 Monoblepharella 9, 11, f 12, 13, 15

Monocillium 302 Monographella 953

Monosporium 305; apiospermum 302, 304, 325

Morchella conica 236

Mortierella alpina 624; ramanniana var angulispora 623, 624

Mucor 302, 305, 339, 447, 1031–1041; bacilliformis 1031–1041, f 1035, f 1037; dispersus 1038; fragilis 1031, 1033, 1034, f 1035, 1036, 1038; genevensis 1010, 1031, 1038; hiemalis 1010, 1032, 1033, 1034, f 1035, 1036, 1038; miehei 110–117, 471, 473, 567, 570–575, 577; mucedo 1010, 1032, 1033, 1034, f 1035, 1036, 1038; plumbeus 1038; pusillus 110–117, 198, 468, 471, 473, 474, 567; racemosus 302, 304, 305, 1032, 1033, 1034, f 1035, 1036, 1038; ramannianus 1008, 1010, 1011, 1012; rouxii 423–428, 725, 1031, 1033, 1034, f 1035, f 1036, 1036, 1038; spinosus 1038

Mycena alcalina 1229; haematopus var haematopus 1229; var marginata 1229; inclinata 1229; leaiana 1229; pelianthina 1229; pura 1229; radicatella 1229; sanguinolenta 1229; subcaerulea 1229

Mycobacterium 93 Mycoleptodon 193

Mycomedusiospora flavida 361, 363, 375 Mycosphaerella depressa 961; glauca 963; magnoliae 963; milleri 963

Mycotypha africana 1010 Myriococcum albomyces 469, 471, 473, 567, 573, 577

Myrothecium inundatum 1231 Myxotrichum 126, 143, 146

Myxotrichum 126, 143, 146, 147; aurantiacum 130

Naematoloma 1198; radicosum 1229 Nais inornata 896 Nakataea sigmoidea 953 Nannizzia 138 142 144 145 146;

ossicola 146 Narasimhella 127 141 159; hyalinospora

159; poonensis 127

Nectria 355 365; agaricicola 369; abnormis 365; balsamea 369; brassicae 255; calamicola 388; coccicola 378; consors 255–262 f 258; cucurbitula 366; cylindrospora 366; episphaeria 255 382 383, 1227; fulvida 380; haematococca 1150, 1151; hirsuta 372; ignia 257, 260, 261; leguminosum 365; mellina 365; paludosa 383, 384; pyrochroa 365; sansevieriae 255; trichospora 357, 359, 360;

Nectriella consors 257

Nematostelium ovatum 580, 583, f 585, 588

Neottiella 873; rutilans 685, 689, 691, 873; vivida 685, 689, 691

Neurospora 2, 79; crassa 752, 753, 872, 1032, 1034, 1036, 1038, 1039; tetrasperma 731, 1012

Nia vibrissa 56

Nidula 202

Nigrospora 328, 333, 338, 339, 340

Nocardia 93

Nedulisporium 1231

Nowakowskiella crassa 42, 43; delica 42, 43; elegans 34, 35, f 39, 40–44; endogena 43; macrospora 44; profusa 40–43

Odontia 1229 Oedogoniomyces 9, 11, f 12 Oerskovia xanthineolytica 82, 88 Oidiodendron 146; echinulatum 1231; flavum 1231

Olpidiopsis 664; fusiformis 1079; incrassata 624; saprolegniae var saprolegniae 1079

Olpidium brassicae 4 Omphalina gerardiana 1229 Onocladium flavum 142

Onygena 236

Ophiobolus 1116; coicis 1116; grafianus 1116

Ophionectria 355–391; agaricicola 361, 369; ambigua 361, 374, 375; anceps 361, 383; anomala 357, 360, 361, 388; anonae 361, 380; aurantii 361, 377; balladynae 361, 364, 387; belonospora 361, 380, 381, 382, var unicaudata 361, 380, 381, 382; var unicaudata 361, 380, 381; briardi 361, 380, 381, 382; var pitrifusers 382; byssicola 361, 370, 372; calamicola 361, 388; cerea 356, 361, 380, 381, 382; var miniata 383; cinnabarina 357; clerodendri 361, 363, 376; coccicola 356, 361, 377, 378; coccorum 361, 379; cockerellii 361, 372, 373; conica 361, 375; conoidea 361, 388; cordyceps 361, 373; cupularem 361, 380, 382, 383; cylindrospora 361, 360, 367; var tetraspora 361, 368; cylindrothecia 356, 361, 383, 385; depilata 361,

374; episphaeria 361, 380, 382; erinacea 361, 363, 385, 386; everhartii 361, 380, 381, 382, 383; flavida 361, 375; foliicola 361, 388; globosa 361, 388; hendrickxii 361, 364, 365; hidakaeana 361, 364, 1, 364, 361, 389; lagunensis 361, 389; larvae-spora 361, 379; lloydii 361, 373, 374; luxurians 361, 364, 387; mellina 355, 361, 365; morgani 385; muscivora 361, 364; oubanghensis 361, 389; palicoureae 376, 377; palmarum 361, 380, 382; paludosa 355, 361, 383; puiggarii 361, 365; portoricensis 357, 359, 360; rhoadsii 385; rubicola 361, 389; scolecospora 356, 361, 366, 367, 368; sojae 361, 389; tetraspora 361, 377; theobromae 360; trichia 361, 372; trichospora 355, 356, 357, 1358, 362, 364, 388; var rufula 361, 375; tropicalis 361, 364, 385, 386, 387; ulicis 361, 390; uredinicola 361, 366, 365; soisetilbe trichia 361, 366, 367, 368, 387; vernoniae 361, 366

Ophiostilbe trichia 372 Ophiostoma 1149; multiannulatum 1039; ulmi 1149

Orbilia 832–835; auricolor 1227; botulispora 1227; epipora 1227; fimicola 832, f 833, 834; leporina 834; xanthostigma 1227

Paecilomyces 302, 305, 464, 1011 Palaeancistrus 852

Palaeosclerotium 850–854; pusillum 851 Panaeolina 1199

Panaeolus 1199; foenisecii 1199 Panus strigosus 1229

Papulaspora 468; thermophila 467, 469, 471, 472, 473

Paranectria luxurians 364, 387 Parasterina laxiuscula 364 Parmotrema perforata 604

Paullicorticium niveo-cremeum 1229 Penicillium 145, 302, 305, 325, 328, 331, 333, 338, 339, 1135; lilacinum 1063; nigricans 750–755; purpurogenum

1011; waksmani 1013 Peniophora 464; filamentosa 1229

Periconia prolifica 1208 Peridermium cerebrum 504; fusiforme 504

Petalosporus 131, 138; afilamentosus f 139

Peziza leucostigma 832; quelepidotia

f 310, 311, f 312, 315 Pezizella chrysostigma 1227

Phacidina gracile 1227 Phaeosphaeria typharum 480, 481, 483,

485, 488 Phanerochaete cremea 1229; chrysosporium 464; sanguinea 1229 Phellinus 1129; robustus 1229 Phialocephala dimorphospora 1058 Phialophora 302, 305

Phakopsora apoda 736; loudetiae 739

Phleogena faginea 53

Phlyctochytrium 9, 15; arcticum 3, 4; aureliae 34, 36, 37, f 39; kniepii 37; irregulare 3, 4; planicorne 34, 35, 37, f 39; semiglobiferum 37; synchytrii 37

Pholiota 188, 1197; subfulva 1229; veris 1229; vernalis 1229

Phoma 483, 485, 486, 488 Phragmidiella 1078

Phragmidium 237

Phycomyces blakesleeanus 189-193, 311, 315, f 316, 324, 1038, 1039; nitens 1010

Phyllachora 955, 956; gangraena 955

Phyllachorella magnoliae 963

Phyllactinia corylea 827 Phyllosticta antirrhini 349-354, f 351;

minima 1231 Physalospora 952, 953, 957, 958; al-pestris 1192; betulina 960; camptospora 1192; eucalypti 1191-1193, f 1192; obtusa f 1210, 1212; pandani 1192; psidii 1192; pyrenacanthae 1192; transversalis 1192; vaccinii 953; wildemanniana 1192

Physarum 179; cinereum 46-52; crateriforme 180; gyrosum 97; polycephalum 46, 51, 421-423, 588, 699

Physcia aipolia 714; orbicularis 673 Phytophthora 13, 15, 16, 631–637, f 633, 882. 1180: cactorum 757. 759: cambivora 641-646, f 643, f 644, 710, 757, 759; capsici 13, 634, 708, 757, 759; cinnamomi 645, 701-713, f 704, 757, chindamin 645, 701-715, 104, f 706, f 707, f 708, 757, 759; citricola 757, 759; citrophthora 757, 759; colocasiae 631, 634, 709; cryptogea 709, epistomium 5; hibernalis 632, 634, 635; infestans 4, 645, 709; megasperma 709; var sojae 705; infestivatora respective 635; colori nicotianae var parasitica 635; palmivora 631, 632, 634, 635, 710; var piperis 631; parasitica 11, 16, 710, 759, 635; var nicotiana 9; var nicotianae 756–760; var piperina 631; porri 709

Pichia bessyii 1012 Picoa 433; pachyascus 435, 438

Pilaira anomala 1010 Pilobolus umbonatus 1010

Piptocephalis 1008; virginiana 624, 1014; xenophila 1013

Piptoporus betulinus 1227, 1229, 1231 Placodium cerinum 740-749

Planoprotostelium aurantium 580, f 581, f 584, 588

Plasmopara geranii 1227

Pleonectria pinicola 367, 368, 369

Pleospora pelagica 481, 483, 485, 486, 487, 488; triglochinicola 1218; 1218;

vagans 481, 483, 486, 488 Pleuropedium tricladioides 914-916, f 915 Pleurophragmium 1231; simplex 1231

Pleurotus cystidiosus 203; ostreatus 203, 1013; sajor-caju 203–205, f 204; tuber-regium 271–279, f 275

Pluricellaesporites psilatus 285 Pluteus cervinus 1229

Pocheina rosea 580, 583, f 584, 588

Podaxis 229

Podonectria 356, 363; aurantii 361, 363, 377; coccicola 361, 363, 377, 379; coccorum 361, 363, 379; larvaespora 361, 363, 379

Podospora anserina 689; setosa 689 Polyporus betulinus 714-719, 771; squamosus 1229

Polysphondylium 447, 448; pallidum 588; violaceum 445, 453, 454, 455, 580, f 584, 588

Polystictus versicolor 719, 771

Poria 1229; carnegiea 761-772, f 765 f 763; cinerescens 1229; tsugina 1229 Poronia oedipus 592-603; punctata 789 Poronidulus conchifer 1229

Prospodium 1078

Protosteliopsis fimicola 588

Protostelium mycophaga 588; zonatum 588

Psalliota bispora 900, 904; campestris 900, 912

Psathyrella 1198, 1199; delineata 1229 Pseudevernia furfuracea 604-614; olivetorina 604-614

Pseudoarachniotus 126-163; aurantiacus 136, 137, 138, f 139; citrinus 132, 147, 148, 150, 152; desertorum 158, 159; echinulatus 147, 159; flavoluteus 154, 155, 156, f 157; flavus 148, 150; halophilus 148, 150; hyalinosporus 147, 159; marginosporus 140, 147, 159; punctatus 147, 159; reticulatus 147, 160; roseus 127, 147, 148, 149, 151, 152, 153, 156, f 157; ruber 153, 154, 156, f 157, 158, 159; terrestris 148, 150; thirumalacharii 148, 150; trochleosporus 147, 154, 156, f 157, 158

Pseudocochilobolus 1117; geniculatus 1118; lunatus 1118; nisikadoi 1109-1117-1120, f 1113, f 1114; spicifer 1119

Pseudocyphellaria freycinetii 618 Pseudoecteinomyces 1075; zuphiicola f 1074, 1075

Pseudogymnoascus roseus 143

Pseudomassaria carolinensis 953; lycopodina 1227

Pseudonectria 255; pachysandricola 256; rousseliana 256, 961 Pseudonocardia 93

Pseudoperonospora humuli 16

Psilocybe 1196-1199; sect Caerulescentes 1198, 1199; sect Psilocybe 1199; aerugineomaculans 1197; muliercula 1196; pelliculosa 1198; semilanceata 1198, 1199; var caerulescens 1198; silvatica 1198; subaeruginascens 1197; venenata 1197

Pteroconium 953

Puccinia abutili 1076, f 1077; chaetochloae 735; cynodontis 737; di-gitariae-velutinae 735; eritraeensis 737; fragosoana 738; graminis f 970, 1076; graminis tritici 325; heterospora 1076; huberi 736; irregularis 1076; kusanoi 387; mariae-wilsoniae var mariae-wilsoniae 311, 313, f 316, 317; montanensis 1076; mucronata 237; polysora 738; rubigo-vera 1076; sorghi 738; sparganioides 480, 481, 483, 485, 488; stenotaphri 736; substriata var insolita 735; tomipara 1076; triarticulata 1076; valantiae 237; windsoriae 1076 Pullularia pullulans 783-792

Puttemansia aurantii 377; coccicola 378 Pycnoporus cinnabarinus 1229

Pyrenophora 1109 Pyricularia 954; grisea 954; oryzae 954 Pyronema 321, 714; confluens 686; domesticum 321-327, f 322, f 324, 685-692, f 686, f 688, f 689, f 690; omphalodes 686

Pythiopsis humphreyana 1079; sub-

centrica 1080; terrestris 1079 Pythium 5, 7, f 10, 246–254, 268, 882, 1180, 1232–1235; acanthicum 1212; aphanidermatum 1212; dissoticum 1232, 1234, 1235; mammillatum 1232, 1234, 1235; marinum 246–254, f 248; proliferum 587

Radiomyces 1010 Ramalina siliquosa 604

Ramaria 432; subg Lentoramaria 432 Rectipilus 54, 56; davidii 56 Resinicium bicolor 1229: furfuraceum

1229

Reticularia lycoperdon 96, 97 Rhachomyces alluaudii 1072 Rhinocladiella 1231

Rhizidiomyces 4, 5, 665, 1056; apophysatus 17, 665; bulbosus 1056; japonicus 665

Rhizidiomycopsis 665, 1049-1053, f 1050; bullatus 661-665-666, f 662, 1056; japonicus 1056; saprophytica 1056; stomatosa f 1054, 1057

Rhizoctonia, 409; solani 409

Rhizophydium pollinis-pini f 7

Rhizopus 305, 339, 447, 517; arrhizus 1038; chinensis 568; cohnii 1038; nigricans 1038; oryzae 1014; pseudochinensis 567, 568, 569, 575, 576; sexualis 1038; stolonifer 302, 304, 305, 1010, 1038; suinus 1038

Rhodopaxillus 944 Rhodosporidium 57

Rhodotorula 302, 341, 346, 1011, 1062; glutinis 305, 848, 849; var rubescens 1063; mucilaginosa 580; rubra 345 Rollandia hyalinospora 144

Rollandina 145; alba 142; capitata 127,

145, 159; hyalinospora 143, 159 Roumegueria 956; gangraena 955 Rozella allomycis 9

Russula 980; emetica 1229

Saccharomyces cereviseae 9, 689, 1012, 1032, 1034, 1036, 1039 Saccharomycopsis 547, 553, 554; lipo-

lytica 647, 649, 1011, 1012 rolegnia 2, 3, 7, 15, 268, 1232; Saprolegnia 2, 3, 7, 15, 268, 1232; anisospora 1080; asterophora 1080; diclina 1079; ferax 3, f 8, 11, 1079; megasperma 915, 925; parasitica 1079, 1232, 1234, 1235; subterranea 1079; terrestris 1079; unispora 1080

Sarcogyne 858

Sarcoscypha occidentalis 1228 Schizochytrium 7, 303; aggregatum f 10, 303

Schizophyllum commune 176, 210, 414, 714-719, 1013

Schizoplasmodiopsis micropunctata 588; pseudoendospora 588; reticulata 588; vulgare 588

Schizosaccharomyces octosporus 1012; pombe 689

Schwanniomyces alluvius 1012

Schweinitzia 229

Scirrhia gangraena 955

Scleroderris gigaspora 378 Sclerogaster 980, 983; compactus 983; minor 980-986, f 982, f 985; pacificus 980; xerophilum 980, 981-986, f 982, f 985

Sclerotium oryzae 953

Scoleconectria 356; balsamea 367, 368, 369; coccicola 378, cucurbitula 356, 361, 362, 366 368, 369; scolecospora 366

Scopulariopsis brevicaulis 304, 417, 418, 420: koningii 417-421, f 419

Scytalidium 753, 754

Sebacina calcea 998; candida 988; effusa 991; grisea 992; letendreana 998 macrospora 1002; peritricha 991; quercina 991; umbrina 1001; uvida subsp peritricha 991; vermifera 990

Septogloeum rhopaloideum 964

Setchelliogaster 853 Setosphaeria 1109 Sirobasidium sanguineum 990 Sirodesmium 537; diversum 535 Sistotrema brinkmannii 714-719 Sordaria brevicollis 731; fimicola 851;

macrospora 1012

Spadicoides obovata 1231

Sphaerella annulata 963; buxi 960; buxifolia 960; depressa 961; gangraena 955; magnoliae 963 Sphaeria buxi 960; cerea 380, 381;

cooptera 960; gangraena 955; magnoliae 963; mellina 365; muscivora 364; pocula 231

Sphaerophragmium 21, 30 Sphaeropsis malorum 1212

Sphaerotheca fuliginea 827, 828; humuli 827; lanestris 826, 827; pannosa 827 Spicaria 619

Speira minor 540, 542, 543 Sporobolomyces 302, 333; salmonicolor 1010, 1011, 1012

Sporothrix cyanescens 653; sanguinea 651, f 653

Sporotrichum 651; sanguineum schenckii 304; thermophile 198 Stagonospora 481, 482, 483, 485, 488

Steccherinum 193-197; ciliolatum 196, 197; fimbriatum 196, 197, 1229; ochraceum 196, 197; oreophilum 194, f 194, f 195, 196

Stemonitis virginiensis 588 Stemphylium botryosum 1058; triglo-chinicola 1218

Stephanoma phaeospora 1212

Stereum complicatum 1229; hirsutum 1229

Stilbella tomentosa var ovalispora 372; var tomentosa 372 Stilbum 372, 619

Strasseria nigra 1231 Strobilurus 428; kemptonae 428-431, f 429

Stropharia venenata 1197

Suillus 69, 70; brevipes 120, 121; brunnescens 206, 209; cavipes 120, 121, 123, 124; cothurnatus 124; decipiens 68; granulatus 120, 121, 1229; grevillei f 60, 66, 67, 68, 69, 71, 121; lakei 119, 120, 121; luteus f 60, 119, 120, 121; ponderosus 121; punctipes 120, 121; tomentosus 119, 120, 121, 123

Syncephalastrum racemosum 1010 Syncephalis 1008; californica 1008, 1014; sphaerica 1008-1015

Syzygites megalocarpus 1010

Talaromyces dupontii 198; emersonii 110-117, 198, 471, 472, 473, 1217; purpureus 145; spiculisporus 146;

thermophilus 469, 471, 473, 573, 567; vermiculatus 144

Taphrina coerulescens 1228; potentillae 1228

Telimena 954; erythrinae 954; gangraena 955

Telimenella 952-966; gangraena 952, 954, 955, f 956; persica 954, 955; phacidioidea 956, f 956 Teloschistes 747

Terfezia gigantea 433-437, f 434, f 435; pfeilii 436

Tetracladium setigerum 844, 845

Tetracrium 363; aurantii 377; coccicolum

Thamnidium elegans 1010

Thanatephorus 409-413; corchorus f 410, 411, f 412; cucumeris 409, 411; orchidicola 411; praticola 411: 411; sasakii 411; sterigmaticus 411

Thelephora acerina var abietis 998; calcea 998, 1002; c. albido-fuscescens 998; effusa 988, 991; grisea 992; letendreana 998

Thermoascus aurantiacus 110-117, 198, 567, 1217; crustaceus 517, 520

Thermomyces 464; lanuginosus 517 Thielavia 567; albomyces 110-117; heterothallica 110-117, 469, 471,

472, 473, 567 bacillus 750; concretivorus 753; ferrooxidans 753; thiooxidans 750; Thiobacillus 753

Thraustochytrium 3, 303; aggregatum 303; roseum 303; 303; aureum striatum 303

Thraustotheca 289; clavata 1232, 1234, 1235

Thyronectria balsamea 361, 362, 368, 369

Tieghemiomyces parasiticus 624

Tomentella lateritia 1229 Tornabenia intricata 858

Torrubiella 369, 373, 618-622; alba 619; albolanata 619; arachnophila 619, 621; aranicida 619; cordyceps 373; falklandica 619, f 620, 621; flava 619; flavo-viridis 619, 621; gibellulae 619; gonylepticida 619, 621; **lloydii** 361, 362, **373**; montana 619; pulvinata 619, 621

Torula 533-546; bigemina 540, 542, 543; diversa 535, 537; elasticae 537; herbarum 533; occulta 533, 535; thermophila 198, 469, 471, 473, 474,

567, 1234; uniformis 545 Torulopsis 341, 346; candida 345; ernobii 1063; glabrata 343, 345; inconspicua 345

Tovariella palicoureae 377; pitteriana 376, 377

Toxotrichum cancellatum 146

- Trametes americana 1129; odorata 1129 Trechispora vaga 1229
- Tremella sordida 988
- Triactella 22; pulchra 25 Trichia 179, 697; verrucosa 372
- Trichocladium achrasporum 1218-1223; olivaceum 535, 537
- Trichocoma 852
- Trichoderma 1231; koningii 517, 520 lignorum 1063; viride 571-575, 577 Tricholoma 944, 949; cnista 941, 943, 944; subsp evenosum 941; var evenosa 943; graminicolum 928; melaleucus 945
- Tricholomopsis platyphylla 1229; rutilans 1229
- Trichonectria bambusicola 385, 386
- Trichophyton 151, 1196; dankaliense 148, 151
- Trichosporon 341, 346; beigelii 345; capitatum 345; cutaneum 304; pullulans 345
- Trigonopsis varibilis 1011 Triphragmium 21, 22, 25, 28, 30; ponderosum 31, pulchrum 26; setulosum 21, 26
- Truncocolumella 68 Tubaria 1229
- Tuber aestivum 627, 630; bituminatum 630; dryophilum 627, 630; ex-cavatum 627, 629, 630; magnatum 630; malacodermum 629; melanosporum 630; mesentericum 629; puberulum 627; rufum 627, 629, 630; spinoreticulatum 626, f 629, 630; texense 629, 630
- Tubercularia ciliata 256 Tubeufia 356, 363; anceps 383, 384; asclepiadis 364, 365; cerea 361, 363, 380, 381, 382, 384; coronata 383,
 - 385; cylindrothecia 383; helicomyces 384; javanica 356, 384; margarita 385; paludosa 361, 363, 383, 384; trichospora 357

- Tubifera 588: ferruginosa 1227
- Tubulicrinis propinqua 1229; subulatus 1229
- Tylopilus alboater 121; felleus 1229 Tyromyces albellus 1229; immitis 1229; semisupinus 1229
- **Umbilicaria** pustulata 605. 613: spodochroa 613
- Uncinula salicis 826 Uredo 237; linearis 237; stereospermi 1078
- Uromyces leptodermus 735; linearis 734; setariae-italicae 734; tenuicutis 737
- Valsa pini 1228
- Vararia investiens 1229
- Venturia inaequalis 418
- Verticillium 302, 305, 1231; albo-atrum 1212; dahliae 164-172
- Vibrissea truncorum 1228
- Volutella 255–262, f 259, 961, 1231; buxi 255; ciliata 255, 256, 260, 261; lini 261; minima 260; pachysandrae 256; pachysandricola 256
- Volvariella bombycina 1013
- Waldemaria 148; pernambucensis 148, 149, 152
- Xanthoria elegans 740-749. f 743:
- parietina 858
- Xeocarpus farinellus 998 Xerocomus 70
- Xeromphalina campanella 1229; cauti-
- cinalis 1229 Xylaria polymorpha 1228
- Xylomyces 282; chlamydosporis f 281, 282, f 283
- Zignoella pulviuscula 1228
- Zygorhynchus dangeardii 1038; moelleri 1010, 1038

| STATEMENT OF OWNERSHIP, MA (Required by 3) | | |
|--|--|---|
| TITLE OF PUBLICATION | | & DATE OF FILING |
| MYCOLOGIA PREQUENCY OF INDUS | To see our require must also | 29 SEPT 77 |
| BIMONTHLY (6 times a year) | A. NO. OF ISSUES PUBLISH ANNUALLY unty, State and ZIF Code; (Not print | \$25.00 |
| THE NEW YORK BOTANICAL GARDEN, BRO | NX. NEW YORK 10458 | printers) |
| THE NEW YORK BOTANICAL GARDEN. BRO | NX. NEW YORK 10458 | |
| NAMES AND COMPLETE ADDRESSES OF PU | BLISHER, EDITOR, AND MANAGI | NG EDITOR |
| THE NEW YORK BOTANICAL GARDEN. BRO | ALV MEN MUNE TOTAL | |
| | DEPARTMENT OF BOTA | |
| DR. MARGARET BARR BIGETON MASS | ACHUSETTS, AMHERST | , MA. 01002 |
| DR CLARK POCERSON, THE NEW YORK DO | TANICAL CAPDEN, BE | ONX, NY 10468 |
| holders owning or holding I persons or more of total amount of stock. | If not owned by a corporation, the n | arnes and addresses of the individual |
| owners must be given. If owned by a partnership or other unincorpor be given,) | roted firm, its name and address, as | well as that of each militation must |
| NAME | | |
| WHOLLY OWNED BY: | ADD | 9419 |
| THE NEW YORK BOTANICAL GARDEN | BRONX, NEW YORK | 10458 |
| | | |
| WHOMN BOWDING DEER MORTGAGES AND OTHER SECURE | | |
| KNOWN BONDHOLDERS, MORTGAGES, AND OTHER SECURITORIAL AMOUNT OF BESIDE MERTGAGES OF | | |
| NAME | ADG | PRESS. |
| NONE | NONE | |
| FOR COMPLETION BY NONPROFIT ORGANIZATIONS AUTHORIZE The purpose, function, and nonprofit status of this organization and the | s exempt status for Federal income to | as purposes (Check one) |
| | swampt status for Faderal income to street. If changed, publisher to to with this eletement.) | ax purposas (Chech one) must submit explanation of change |
| The purpose, function, and nonprofit status of this organization and the | s exempt status for Federal income to | as purposes (Check one) |
| The purpose, function, and nonprofit status of this organization and the participation of the | exempt status for Faderal Income to ISNA dif changed, publisher into INTERACE NO. COPIES EACH INSUE DURING PRECEDING | as purposes (Check one) must submit explanation of change ACTUAL NO. COPIES OF SINGL. ISSUE PUBLISHED NEAREST TO |
| The purpose, function, and nonprofit sease of this organization and the particular to the particular of the organization and the particular of the particula | element shous for Federal income to general publisher with the element.) AVERAGE NO. COPIES EACH 188UE DURING PRECEDING 12 MONTHS. 3600 | must submit explanation of change ACTUAL NO. COPIES OF SINGL ISBUE PUBLISHED NEAREST TO FILING DATE 3600 |
| The surpose, function, and nonprofit sease of this organization and the participation of the procedure of the organization and the participation of the part | exempt status for Fadaral income to 85046. dif changed, publisher 108 mish this abstract. J AVERAGE NO. COPIES EACH 185UE DURING PRECEDING 12 MONTHS. | as purposes (Check one) must assimit explanation of change ACTUAL NO. COPIES OF SINGLIBBUE PUBLISHED NEAREST T FILING DATE |
| The purpose, function, and nonprofit sease of this organization and the particular to the particular of the organization and the particular of the particula | element shous for Federal income to general publisher with the element.) AVERAGE NO. COPIES EACH 188UE DURING PRECEDING 12 MONTHS. 3600 | must submit explanation of change ACTUAL NO. COPIES OF SINGL ISBUE PUBLISHED NEAREST TO FILING DATE 3600 |
| The surpose, function, and nonprofit sease of this organization and the participation of the | seamor seaves for Federal income to Off changed, publisher with fibe relement.) AVERAGE NO. COPIES EACH ISSUE DURING PRECEDING 28 600 0 | as purposes (Check one) must submit explanation of change ACTUAL NO. COPIES OF SINGL, TIBUE PUBLISHED NEAREST TO FILING DATE 3600 |
| The surpose, function, and nonprofit sease of this organization and the participation of the | seamor status for Federal income to string. If /income /, publisher sea with this elements // ave status // come // AVERAGE NO COPIES SACK ISSUE GUINNING PRECEDING 29 MONTHS 36.00 0 30.5.5 | most authoric explanation of change most authoric explanation of change ACTUAL NO. COPIES OF BINGLITHER PUBLISHED NEAREST FRICING DATE 3600 3055 |
| The surpose, function, and nonrodic stone of this organization and the processing of the surpose of the organization and the processing of | seamor status for Federal income to street. If Changer, publishers on with this element, 1 AVERAGE NO. COPIES EACH SIGUI SURFACE INC. 12 MONTHS 36.00 0 30.55 | as purposes (Check one) must submit explanation of change ACTUAL NO. COMES OF BLINGLY FIRE STEED NEARST TO FILING DATE 3600 0 3055 |
| The surpose, function, and nonprofit sease of this organization and the participation of the | seamor status for Federal income to string. If /income /, publisher sea with this elements // ave status // come // AVERAGE NO COPIES SACK ISSUE GUINNING PRECEDING 29 MONTHS 36.00 0 30.5.5 | most authoric explanation of change most authoric explanation of change ACTUAL NO. COPIES OF BINGL TRUE PUBL. SHEED NEAREST TO FILING DATE 3600 0 3055 |
| The surpose, function, and nonorall steam of this organization and the surpose, function, and nonorall steam of this organization and the surpose of the sur | seamor status for Federal income to street, of Changer, publisher sea with this element, 1 AVERAGE NO. COPIES EACH INSUL GUIRNING PRECEDING 12 MONTHS 36.00 0 30.55 10 30.65 | must authoric explanation of change must authoric explanation of change ACTUAL NO. COPIES OF BLINGS TRUE PUBL. SINCE ON EARST TO FILLING DATE 3600 0 3055 3055 10 3065 |
| The surpose, function, and noncrofit storus of this organization and the water than the control of the control | seamor status for Federal income to street. If Changer, publisher sea with this element, I have been con- statut guring PRECEDING 12 MONTHS 36.00 0 30.55 1.0 | most authoric explanation of change most authoric explanation of change ACTUAL NO. COPIES OF BLINGS TRUE PUBL. SHEED NEARST TO FILLING DATE 3600 3055 3055 |
| The surpose, function, and nonrodic stoke of this organization and the processing of | seamor status for Federal income to street, of Changer, publisher sea with this element, 1 AVERAGE NO. COPIES EACH INSUL GUIRNING PRECEDING 12 MONTHS 36.00 0 30.55 10 30.65 | must authoric explanation of change must authoric explanation of change ACTUAL NO. COPIES OF BLINGS TRUE PUBL. SINCE ON EARST TO FILLING DATE 3600 0 3055 3055 10 3065 |
| The surpose, function, and noncrofit storus of this organization and the water than the control of the control | ###################################### | ### SUPPRINCE OF THE PROPERTY OF CHARGE OF THE PROPERTY OF THE |
| The surpose, function, and noncrofit storus of this organization and the surpose, function is undertained. The surpose of the organization and the surpose of the surpose o | ATTION OF Federal Income to STATE OF SUPPLY ACTUAL OF SUP | as purposes (Chech one) must submit explanation of change ACTUAL NO. COMES OF ELINOL CHECK OF ELINOL THE CHECK OF ELINOL THE CHECK OF ELINOL ACTUAL NO. COMES OF ELINOL THE CHECK OF ELINOL ACTUAL NO. COMES |
| The surpose, function, and nonrodit stoke of this organization and the surpose, function, and nonrodit stokes of this organization and the surpose of the su | ### AVERAGE NO COPIES EACH #################################### | |
| The surpose, function, and noncrofit storus of this organization and the vary cyclescope and property of the supplemental property o | ASSOCIATION OF Federal Income to the control of the observation of the | as purposes (Check one) must submit explanation of change ACTUAL NO. COMES OF SINGLE TRUE PUBLISHED NEARSTY FILING DATE 3600 0 3055 3055 10 3065 535 0 DUBLISHED SIGNETS 10 10 10 10 10 10 10 10 |
| The surpose, function, and noncrofit storus of this organization and the processing of the control of the contr | ASSOCIATION OF Federal income to the comment and the element. I was a second to the element. I was a second to the element of | as purposes (Check one) must admit explanation of change ACTUAL NO. COMES OF SINGL TIBUE PUBLISHED NEARSY T FILING DATE 3600 3055 3055 10 3065 \$355 20 3660 3860 ABABAS T ABABA |
| The surpose, function, and nonrodit stows of this organization and divided to the processing of the superior o | ASSESSED OF Paderal income to the paderal income to the above of the a | must earlies (Check one) must earlies explanation of change ACTUAL NO. COMES OF SUNGL TIBUE PUBL. SIVED NEARST TO FILING DATE 3600 3055 3055 3055 3065 535 400 3065 535 400 3065 535 400 3065 535 600 3065 535 600 3065 535 600 3065 535 600 3065 535 600 3065 535 600 3065 535 600 3065 5360 5360 600 60 |

PS Form Apr. 1976 3526 (Fuge 1) (See instructions on reverse)

MYCOLOGIA

OFFICIAL ORGAN OF THE MYCOLOGICAL SOCIETY OF AMERICA

VOLUME LXIX, 1977

Consisting of 1294 Pages, Including Figures



TABLE OF CONTENTS

No. 1 January-February

| The zoospore, hallmark of the aquatic fungi | 1 21 34 |
|---|--------------------------|
| Plasmodial incompatibility reactions in the true slime mold Physarum cinereum J. CLARK Halocyphina, a marine basidiomycete (Aphyllophorales). | 46 |
| Halocyphina, a marine basidiomycete (Aphyllophorales). J. Ginns and D. Malloch | 53 |
| A new species of Gastroboletus and its phylogenetic significance, R. SINGER AND E. E. BOTH | 59 |
| Arniella, a new genus of the Sordariaceae with pitted ascospores. R. S. Jeng and J. C. Krug | 73 |
| Strains of fusidia which can be mistaken for Actinomycetes. | 13 |
| H. Lechevalier, M. P. Lechevalier, D. A. Handley, B. K. Ghosh, and J. W. Carmichael | 81 |
| Spore germination in the myxomycete Fuligo septica: Evidence for the existence of a soluble autocatalytic factor. | ne |
| K. R. Dahlberg and R. G. Franke Growth, sporulation, and germination of spores of thermophilic fungi incubated | 96 |
| in sun-heated soil | 109 |
| liquid cultures | 118 |
| G. F. Orr, G. R. GHOSH, AND K. ROY Pentaketide metabolites of <i>Verticillium dahliae</i> . II. Accumulation of naphthol | 126 |
| derivatives by the aberrent-melanin mutant brm-2. R. D. STIPANOVIC AND A. A. BELL | 164 |
| The occurrence of dual compatibility in Cochliobolus spicifer. | |
| R. R. Nelson, R. K. Webster, and D. R. MacKenzie Brief Articles | 173 |
| Brooks, Keller, and Chassain on a new Diderma. Natarajan on south Indian Agaricales. Koske on spiral growth of Phycomyces. | 179 185 189 193 |
| LINDSEY AND GILBERTSON on a new Steecherinum. THAKUR on spores of thermophilic fungi in the air Brodle on twin fruit bodies in Cyathus. | 193 197 199 |
| ROXON AND JONG on sexuality of Pleurotus sajor-caju | 203 |
| Halling on California boletes | 206 210 |
| Reviews Briefly Noted. | 212 |
| briefly Noted | derlie II. |
| No. 2 March-April | |
| L. D. de Schweinitz and early American mycologyD. P. Rogers | 223 |
| Colonization of Porphyra perforata thallus discs by Pythium marinum, a marine facultative parasiteF. Y. KAZAMA AND M. S. FULLER | 246 |
| Nectria consors and its Volutella conidial state | 255 |
| Enzymes of Dictyuchus monosporus | 263 271 |
| Pleurotus tuber-regium from Nigeria | |
| R. D. Goos, R. D. Brooks, AND B. J. LAMORE Aquatic fungi of Scandinavia: Species of BrevilegniaT. W. Johnson, Jr. | 280 287 |
| Comparative survey of fungi and potential pathogenic fungi from selected beaches in the Tampa Bay areaL. Bergen and D. T. Wagner-Merner Cryofracturing as a technique for the study of fungal structure in the scanning | 299 |
| Cryotracturing as a technique for the study of fungal structure in the scanning | |

| electron microscope | 309 |
|---|------------|
| Mold development in ears of corn from tasseling to harvest | 321 |
| C. W. HESSELTINE AND R. J. BOTHAST The fungicidal and fungistatic effects of an aqueous garlic extract on medically | 328 |
| important yeast-like fungi | 341 |
| formation in Phyllosticta antirrhini | 349 |
| formation in Phyllosticta antirrhini | 355 |
| Nova Scotian Inocybes. IV | 392 |
| Brief Articles | 400 |
| TU, CHENG, AND KIMBROUGH on a new species of Thanatephorus PHILLIPS AND LEONARD on oxidation of dihydroxyphenylalanine and ben- | 409 |
| zidine | 413 |
| CLÉMENÇON on a warning about benzidine | 416 |
| Hammill on karyology during conidiogenesis in Scopulariopsis | 417 |
| COLLINS AND TANG on new mating types in Physarum | 421 |
| CASTE AND HARTMAN on carbon dioxide fixation by yeast cells of Mucor Schmidt and Christensen on Strobilurus kemptonae | 423 428 |
| Corner on Gomphus | 431 |
| HUNT AND FUNK on mushrooms fatal to dogs | 432 |
| TRAPPE AND SUNDBERG ON Terfezia gigantea | 433 |
| ROGERS on Shirl O. Graham | 437 |
| Reviews | 442 |
| Briefly Noted | 442 |
| | |
| No. 3 May–June | |
| Some aspects of chemotaxis using the cellular slime molds as an example. | 442 |
| J. T. Bonner Mary Elizabeth Elliott (1923-1976)D. Savile and L. K. Weresub | 443 |
| Enrichment, isolation, and assay of growth of thermophilic and thermotolerant fungi in lignin-containing media | 400 |
| D. N. MURRMANN, B. K. BEHNKE, AND E. R. BEHNKE | 463 |
| Seasonal occurrence and distribution of fungi associated with Starting alter- | |
| niflora from a Rhode Island estuary | 477 |
| Radial growth responses to temperature by 58 Chaetomium species, and some | 402 |
| taxonomic relationships | 492 |
| H. H. BURDSALL, JR. AND G. A. SNOW | 503 |
| Ontogeny of Hyalopsora polypodii urediospores,M. R. McGinnis Degradation of wood by Aspergillus fumigatus isolated from self-heated wood | 509 |
| chipsB. Flannigan and G. S. Sagoo | 514 |
| Some environmental and nutritional factors affecting growth and sporulation | |
| of Ceratocystis paradoxaP. O. OLUTIOLA AND O. O. COLE | 524 |
| Revision of Torula and Hormiscium species. Torula occulta, T. diversa, T. | |
| elasticae, T. bigemina and Hormiscium condensatum reexamined. | = = = |
| J. D. SCHOKNECHT AND J. L. CRANE | 533 |
| Cephaloascus albidus, a new heterothallic yeastlike fungusC. P. KURTZMAN | 547 |
| Genetic analysis of a mutant of Aspergillus flavus producing more aflatoxin B ₂ than B ₁ | 556 |
| Growth of thermophilic and thermotolerant fungi in soil in situ and in vitro. | */* |
| M. R. TANSEY AND M. A. JACK | 563 |
| The possible phylogenetic significance of mitochondrial configurations in the acrasid cellular slime molds with reference to members of the Eumycetozoa | |
| and Fungi | 579 |
| Cellulase activity of Poronia oedipusD. A. DENISON AND R. D. KOEHN | 592 |
| Pseudevernia furfuracea-olivetorina relationships: Chemistry and ecology. W. L. Culberson, C. F. Culberson and A. Johnson | 604 |
| | |

TABLE OF CONTENTS

| Brief Articles | |
|---|---------------------------------|
| KIDD, REID AND DAVIDSON on inhibition of growth in Ceratocystis O'DONNELL, COMMON AND IMSHAUG on a new species of Torrubiella Erb on effect of thiamine and other factors on parasitism UECKER AND BURDSALL on a new truffle TSAO AND TUMMAKATE on Phytophthora from black pepper | 615 618 622 626 631 |
| THAKUR on percurrent proliferation in Albugo | 637 641 |
| MEYERS AND AHEARN on extracellular proteolysis by Candida | 646 |
| Reviews | 654 |
| No. 4 July-August | |
| Rhizidiomycopsis bullatus, a new zoosporic fungusF. K. Sparrow | 661 |
| five new species | 667 |
| The behavior of the nucleolus during nuclear divisions in the asci of Pyronema domesticum | 685 |
| The description and laboratory cultivation of Arcyria elaterensis, a new species of myxomycetes | 693 |
| Morphology of Phytophthora cinnamomi H. H. Ho and G. A. Zentmyer | 701 |
| Natural distribution of incompatibility factors in basidiomycetous fungi. R. C. Ullrich | 714 |
| Ascospores, germ pores, ultrastructure, and thermophilism of <i>Chaetomium</i> . P. D. Millner, J. J. Motta, and P. L. Lentz | 720 |
| A preliminary taxonomic study of Nigerian graminicolous Uredinales. Grass rusts from Nsukka—I | 734 |
| rusts from Nsukka—I | 740 |
| elegans | |
| heavy metals | 750 |
| J. L. McIntyre and L. Hankin Some aspects of bipolar heterothallism and other cultural characters of <i>Poria</i> | 756 |
| carnegies J. P. Lindsey and R. L. Gilbertson Morphological and physiological differences between Bipolaris maydis races | 761 |
| O and T | 773 |
| An analysis of Aureobasidium pullulans developmental stages by means of scanning electron microscopyD. G. PECHAR AND R. E. CRANG | 783 |
| Isolation, purification, identification, synthesis, and kinetics of activity of the anticandidal component of Allium sativum, and a hypothesis for its mode | |
| of action | 793 |
| YARWOOD on moving particles of vacuoles | 826 829 |
| JENG AND KRUG on a new Orbilia. PADGETT AND LUNDEEN on a variable-medium culture chamber | 832 835 |
| ELEUTERIUS AND MEYERS on alkaloids of Spartina | 838 |
| FOGEL on nomenclature of Alpova THAKUR on survival of aquatic Hyphomycetes CRONIN AND POST on a dematiaceous hyphomycete from the Great Salt | 840 843 |
| Lake Fries on germination of Laccaria spores | 846 848 |
| SINGER on an interpretation of Palaeosclerotium | 850 |
| LAWREY on x-ray emission microanalysis | 855 860 |
| Reviews | 861 867 |

No. 5 September-October

| Lagenidium giganteumA. J. Domnas, J. P. Sreebo, and B. F. Hicks Fungi of the Chesapeake Bay and its tributaries V. Aniptodera chesapeakensis gen. et sp. nov | Mogens Westergaard 1912-1975 | 871 |
|--|--|--|
| gen. et sp. nov | Lagenidium giganteumA. J. DOMNAS, J. P. SREBRO, AND B. F. HICKS Fungi of the Chesapeake Bay and its tributaries V. Anibtodera chesapeakensis | 875 |
| Physiological studies with the aquatic hyphomycete Pleuropedium tricladioides isolated from the freshwater nematode Neomesomermis flumenalis. A study of the boreal, alpine and arctic species of Melanoleuca L. S. GILLMAN AND O. K. MILLER, Jr. 927 Magnaporthe, Telimenella, and Hyponectria (Physosporellaceae)M. E. BARR Form and function of balanoid aecia of Gymnosporangium fuscum E. E. Leppik The antifungal activity of bacillomycin S B. ESTERHUIZEN AND K. J. v.D. Merwe Additions to the hypogeous mycoflora of Colorado. II. Sclerogaster xerophilum (Basidiomycetes, Hymenogastrales) | gen. et sp. nov | 887 |
| A study of the boreal, alpine and arctic species of Melanoleuca L. S. GILMAN AND O. K. MILLER, JR. Magnaporthe, Telimenella, and Hyponectria (Physosporellaceae). M. E. BARR Form and function of balanoid aecia of Gymnosporangium fuscum E. E. LEPPIK Additions to the hypogeous mycoflora of Colorado. II. Sclerogaster xerophilum (Basidiomycetes, Hymenogastrales). R. FOGEL The species of Exidiopsis (Tremellaceae) of the U.S.S.R. Host range and axenic culture of the mycoparasite Syncephalis sphaerica (Mucorales). K. L. BAKER, E. S. BENEKE, G. R. HOOPER, AND Observations on Guttulinopsis vulgaris and Guttulinopsis nivea K. B. RAPER, A. C. WORLEY, AND D. KESSLER 1016 Nuclei, nucleic acids and protein in sporangiospores of Mucor bacilliformis and other Mucor species. R. Storek and R. C. MORRILL 1031 Brief Articles MALONE on role of rhizomorphs in Endocarpon pusillum. 1042 LYON AND KRAMER on preparing myxomycete spores for SEM. 1045 SCHENCK AND NICOLSON on a zoosporic fungus on Gigaspora azygospores 1049 SPARROW on a Rhizidiopsis on Gigaspora azygospores. 1053 HAMMILL on microtubules of Metarrhizium anisophiae. 1058 CHRZANOWSKI AND COWLEY on response to yeast diet by Uca. 1062 TAYARES AND BALAZUC on Misgomyces mastacis 1069 ROSSI on the new genus Pseudoccteinomyces. 1079 No. 6 November-December Postemergent herbicides and the biology of Drechslera sorokiniana: Effects on conidial germination, vegetative growth, and reproduction. C. F. Hooges Amatoxin-containing mushrooms: Amanila ocreada and A. phalloides in California J. F. Ammiratt, H. D. Thiers, And P. A. Horgen 1079 No. 6 November-December Postemergent herbicides and the biology of Drechslera sorokiniana: Effects on conidial germination, vegetative growth, and reproduction. C. F. Hooges 1083 Amatoxin-containing mushrooms: Amanila ocreada and A. phalloides in California J. F. Ammiratt, H. D. Thiers, And P. A. Horgen 1095 Pseudocochliobolus nisikadoi, the perfect state of Helminthosporium coicis in California M. TSUDA, A. UEYAMA, AND N. NISHIHARA | velutipes fruitbodies | 899 |
| L. S. GILLMAN AND O. K. MILLER, JR. 927 Form and function of balanoid aecia of Gymnosporangium fuscum E. E. Leppik 967 The antifungal activity of bacillomycin S B. ESTERHUIZEN AND K. J. V.D. MERWE 975 Additions to the hypogeous mycoflora of Colorado. II. Sclerogaster xerophilum (Basidiomycetes, Hymenogastrales) | | 914 |
| The antifungal activity of bacillomycin S B. ESTERHUIZEN AND K. J. V.D. MERWE Additions to the hypogeous mycoflora of Colorado. II. Sclerogaster xerophilum (Basidiomycetes, Hymenogastrales) | L. S. GILLMAN AND O. K. MILLER, JR. Magnaporthe, Telimenella, and Hyponectria (Physosporellaceae)M. E. BARR Form and function of balanoid aecia of Gymnosporangium fuscum | 952 |
| Additions to the hypogeous mycoflora of Colorado. II. Sclerogaster xerophilum (Basidiomycetes, Hymenogastrales) | | 967 |
| philum (Basidiomycetes, Hymenogastrales) The species of Exidiopsis (Tremellaceae) of the U.S.S.R. K. Wells and A. Raitviir (Mucorales) K. L. Baker, E. S. Beneke, G. R. Hooper, and (Mucorales) M. G. Fields 1008 Observations on Guttulinopsis vulgaris and Guttulinopsis nivea K. B. Raper, A. C. Worley, and D. Kessler 1016 Nuclei, nucleic acids and protein in sporangiospores of Mucor bacilliformis and other Mucor species. R. Storck and R. C. Morrill 1031 Brief Articles Malone on role of rhizomorphs in Endocarpon pusillum. 1042 Lyon and Kramer on preparing myxomycete spores for SEM. 1045 Bigelow on a new Clitocybe from Texas. 1047 Schenck and Nicolson on a zoosporic fungus on Gigaspora azygospores 1049 Sparrow on a Rhizidiopsis on Gigaspora azygospores. 1053 Hammill on microtubules of Metarrhizium anisopliae. 1058 Chrzanowski and Cowley on response to yeast diet by Uca. 1062 Tavares and Balazuc on Misgomyces mastacis 1069 Rossi on the new genus Pseudoccteinomyces. 1973 Ramachar and Bhagyanarayana on rusts from India. 1076 Liu and Volz on freshwater fungi on Taiwan. 1079 No. 6 November—December Postemergent herbicides and the biology of Drechslera sorokiniana: Effects on conidial germination, vegetative growth, and reproduction. C. F. Hodges 1083 Amatoxin-containing mushrooms: Amanifa ocreata and A. phalloides in California. 1079 No. 6 November—December Postemergent herbicides and the biology of Drechslera sorokiniana: Effects on conidial germination, vegetative growth, and reproduction. C. F. Hodges 1083 Amatoxin-containing mushrooms: Amanifa ocreata and A. phalloides in California. 1079 No. 6 November—December Postemergent herbicides and the biology of Drechslera sorokiniana: Effects on conidial germination, vegetative growth, and reproduction. C. F. Hodges 1095 Pseudocochliobolus nisikadoi, the perfect state of Helminthosporium coicis. M. Tsuda, A. Uevama, and N. Nishihara 1109 Elemental partitioning in Pinus resinosa leaf litter and associated fung. J. D. Lawrey 1121 Essential oil composition of Ceratocysti | | 975 |
| Host range and axenic culture of the mycoparasite Syncephalis sphaerica (Mucorales)K. L. Baker, E. S. Beneke, G. R. Hooper, and W. G. Fields 1008 Observations on Guttulinopsis vulgaris and Guttulinopsis nivea K. B. Raper, A. C. Worley, and D. Kessler 1016 Nuclei, nucleic acids and protein in sporangiospores of Mucor bacilliformis and other Mucor species | philum (Basidiomycetes, Hymenogastrales) | 980 |
| Observations on Guttulinopsis vulgaris and Guttulinopsis nivea K. B. Raper, A. C. Worley, and D. Kessler 1016 Nuclei, nucleic acids and protein in sporangiospores of Mucor bacilliformis and other Mucor species | | 987 |
| K. B. RAPER, A. C. WORLEY, AND D. KESSLER 1016 Nuclei, nucleic acids and protein in sporangiospores of Mucor bacilliformis and other Mucor species | W. G. Fields | 1008 |
| and other Mucor species | K. B. RAPER, A. C. WORLEY, AND D. KESSLER Nuclei, nucleic acids and protein in sporangiospores of Mucor bacilliformis | |
| MALONE on role of rhizomorphs in Endocarpon pusillum | and other Mucor species | 1031 |
| Postemergent herbicides and the biology of Drechslera sorokiniana: Effects on conidial germination, vegetative growth, and reproduction. C. F. Hodges 1083 Amatoxin-containing mushrooms: Amanila ocreata and A. phalloides in California J. F. Ammirati, H. D. Thiers, and P. A. Horgen 1095 Pseudocochliobolus nisikadoi, the perfect state of Helminthosporium coicis. M. TSUDA, A. UEYAMA, AND N. NISHIHARA 1109 Elemental partitioning in Pinus resinosa leaf litter and associated fungi. J. D. Lawrey 1121 Essential oil composition of Ceratocystis virescens. R. P. Collins and A. F. Halim 1129 Germination requirements of Claviceps paspali sclerotia. | MALONE on role of rhizomorphs in Endocarpon pusillum. Lyon and Kramer on preparing myxomycete spores for SEM. Bigelow on a new Clitocybe from Texas Schenck and Nicolson on a zoosporic fungus on Gigaspora azygospores Sparrow on a Rhizidiopsis on Gigaspora azygospores. Hammill on microtubules of Metarrhizium anisopliae. Chrzanowski and Cowley on response to yeast diet by Uca. Tavares and Balazuc on Misgomyces mastacis Rossi on the new genus Pseudoccteinomyces. Ramachar and Bhagyanarayana on rusts from India. | 1045 1047 1049 1053 1058 1062 1069 1973 1076 |
| on conidial germination, vegetative growth, and reproduction. C. F. Hodges 1083 Amatoxin-containing mushrooms: Amanila ocreata and A. phalloides in California | No. 6 November-December | |
| fornia J. F. Ammirati, H. D. Thiers, and P. A. Horgen 1095 Pseudocochliobolus nisikadoi, the perfect state of Helminthosporium coicis. M. TSUDA, A. UEYAMA, AND N. NISHIHARA 1109 Elemental partitioning in Pinus resinosa leaf litter and associated fungi. J. D. Lawrey 1121 Essential oil composition of Ceratocystis virescens. R. P. Collins and A. F. Halim 1129 Germination requirements of Claviceps paspali sclerotia. | | |
| M. TSUDA, A. UEYAMA, AND N. NISHIHARA 1109 Elemental partitioning in Pinus resinosa leaf litter and associated fungi. J. D. LAWREY 1121 Essential oil composition of Ceratocystis virescens. R. P. Collins and A. F. Halim 1129 Germination requirements of Claviceps paspali sclerotia. | Amatoxin-containing mushrooms: Amanita ocreata and A. phalloides in Cali- | |
| Elemental partitioning in <i>Pinus resinosa</i> leaf litter and associated fungi. J. D. LAWREY 1121 Essential oil composition of <i>Ceratocystis virescens</i> , R. P. Collins and A. F. Halim 1129 Germination requirements of <i>Claviceps paspali</i> sclerotia. | Pseudocochliobolus nisikadoi, the perfect state of Helminthosporium coicis. M. TSUBA, A. UEYAMA, AND N. NISHIHARA | 1109 |
| Essential oil composition of Ceratocystis virescens, R. P. COLLINS AND A. F. HALIM 1129 Germination requirements of Claviceps paspali sclerotia. | Elemental partitioning in Pinus resinosa leaf litter and associated fungi. | |
| Germination requirements of Clariceps paspali sclerotia. | Essential oil composition of Ceratocystis virescens. | |
| D. M. U.UNFER AND D. MARSHALL 1137 | Germination requirements of Clariceps paspali sclerotia. | |
| Survival of Claviceps purpurea and C. paspali selerotia. B. M. Cunfer and A. Seckinger 1142 | Survival of Claviceps purpurea and C. paspali sclerotia. | |
| Distinction between sex and compatibility in Ceratocystis ulmi, as shown by unisexual male cultures | Distinction between sex and compatibility in Ceratocystis ulmi, as shown by | |

| Taxonomic position of Hydropus floccipes and allied species-a quantitative | |
|--|------|
| approach | 1162 |
| J. B. BARROWS AND R. W. RONCADORI | 1173 |
| Genetics of aflatoxin production in Aspergillus flavus: Linkage between a gene for a high B ₂ : B ₁ ratio and the histidine locus on linkage group VIII. | |
| K. E. Papa | 1185 |
| Brief Articles | |
| NARENDRA AND RAO on a new species of Physalospora | 1191 |
| wood | 1193 |
| Smith on hallucinogenic agaries | 1196 |
| RIFFLE on endomycorrhizae of Elaeagnus | 1200 |
| KURIAN, STELZIG, BANIECKI, AND MARSHALL on toxin production by | |
| Cristulariella | 1203 |
| Kokko and Elliott on preservation of Moellerodiscus by freeze-drying. | 1206 |
| Hoch on permanganate to increase electron opacity | 1209 |
| Perrin on spore trapping | 1214 |
| SHEARER AND CRANE on imperfect state of Halosphaeria mediosetigera | 1218 |
| SUBRAMANIAN AND NATARAJAN on Agraricostilbum and Amerobotryum. | 1224 |
| Cooke on the 1973 Massachusetts foray | 1226 |
| Berner and Chapman on cellulolytic activity of Oomycetes | 1232 |
| Reviews | 1237 |
| Briefly Noted | 1253 |
| Notices (reviewers) | 1258 |
| Financial Report | 1260 |
| Index | 1261 |



